Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

VOL. 17 INDEX 1967

Serial
1967
C78

Cooperative ECONOMIC INSECT REPORT

U.S. DEPT. OF AGRICULTURE
NATIONAL AGRICULTURAL LIBRARY
MAY 2 - 1968
CURRENT SERIAL RECORDS

Issued by

PLANT PEST CONTROL DIVISION

AGRICULTURAL RESEARCH SERVICE

UNITED STATES DEPARTMENT OF AGRICULTURE

AGRICULTURAL RESEARCH SERVICE

PLANT PEST CONTROL DIVISION

SURVEY AND DETECTION OPERATIONS

The Cooperative Economic Insect Report is issued weekly as a service to American Agriculture. Its contents are compiled from information supplied by cooperating State, Federal, and industrial entomologists and other agricultural workers. In releasing this material the Division serves as a clearing house and does not assume responsibility for accuracy of the material.

All reports and inquiries pertaining to this release, including the mailing list, should be sent to:

Survey and Detection Operations
Plant Pest Control Division
Agricultural Research Service
United States Department of Agriculture
Federal Center Building
Hyattsville, Maryland 20782

COOPERATIVE ECONOMIC INSECT REPORT

Volume 17 Index

1967

INTRODUCTION

The 1967 index is a consolidated index, with common and scientific names appearing in alphabetical order. Page numbers appear only under the scientific names, except for general common names such as aphids, bees, leafhoppers, mites, etc.

The explanations that follow will aid in the use of the 1967 index.

1. Page numbers underlined represent references to "Summary of Insect Conditions in the United States - 1966."

2. For convenience of use, all references concerning light trap collections for a particular species are listed at the end of pagination for that species under this heading.

3. Complete cross indexing of page references of insects with common names is not used. The scientific names should be used to locate all page references, except for those insects or groups of insects where scientific names were not reported. In such instances, page references will be found under common names.

4. A combination of both common and scientific names of an insect or pest may not appear on the page referred, but one or the other will be present.

SPECIAL REPORTS

Alfalfa weevil - situation in U.S. in 1966 and outlook for 1967 19; overwintering of eggs in Massachusetts 168-170

Beet leafhopper surveys - survey in desert areas of southern Utah and Nevada, southeastern California, and central Arizona, 1967 131; second survey in desert areas of southern Utah and Nevada, southeastern California, and central Arizona, 1967 303; survey in Texas and New Mexico 217; survey in Idaho 455

Boll weevil - hibernation surveys in North and South Carolina, Tennessee, Mississippi, Arkansas, Louisiana, and Texas, fall 1966 53; survival as determined by surface trash examinations during the spring, 1967 321

Bollworm (Heliothis zea) - effect of type of plant growth on infestations in soybeans in Arkansas 83-86

Cereal leaf beetle - bibliography 1017-1020; pictorial key 250; quarantine map 946; spread by year (map) 720

Changes in scientific names 16, 82, 133, 207, 305, 900, 975

Coffee bean weevil - pictorial key 496

Cooperative survey entomologists 11, 609

Corn rootworms - situation in U.S. in 1967 1087-1094

Cottonwood leaf beetle and related species with similar habits (pictorial key) 1038

European chafer - status in 1966 56

European corn borer - abundance and distribution, 1966 46-52; estimates of damage to grain corn in U.S. in 1966 721-722

Form PPC 3-9A - instructions for use 400

Grasshopper adult survey, fall 1966, following page 12

Hawaii insect report 7, 34, 45, 63, 82, 96, 119, 136, 159, 180, 214, 226, 251, 299, 318, 345, 371, 395, 421, 450, 473, 494, 523, 550, 580, 605, 631, 660, 690, 712, 745, 774, 797, 822, 842, 860, 884, 899, 914, 930, 949, 963, 975, 990, 1016, 1028, 1037, 1048, 1059, 1069, 1086

Important pests most frequently intercepted at U.S. ports of entry in FY 1966 932-937

Imported fire ant - bibliography 422-430

Insect detection in the U.S., 1966 67-74 Detection reminders--chafers 608; small grain pests 375

Insects not known to occur in the United States - almond scolytid 1077; a black fly 917; black vine thrips 354; citrus flower moth 1061; a leaf beetle 237; lined click beetle 1049; melon weevil 431; a mosquito 951; New Guinea sugarcane weevil 749; a oriental hornet 777; South African citrus thrips 965; stonefruit tree borer 373; sugarcane leafhopper 1039; two spotted citrus psyllid 801

Insects - preservation and shipment for determination 396

Light trap collections - 6, 18, 34, 43, 63, 81, 94, 120, 136, 157, 180, 203, 225, 252, 297, 319, 353, 372, 394, 420, 451, 474, 495, 525, 526, 552, 553, 581, 582, 606, 607, 637, 638, 661, 662, 691, 692, 718, 719, 746, 747, 798, 799, 823, 824, 843, 861, 885, 901, 916, 931, 950, 964, 975, 989, 1016, 1028, 1037, 1048, 1059, 1086

Losses - estimated losses and production costs attributed to insects and related arthropods, 1966 991-1007; losses to grain corn by European corn borer in the U.S. in 1966 771-772; sugarcane borer infestation and crop loss in Louisiana in 1966 530-531

Maps (distribution) - alfalfa weevil 254, 902; Asiatic oak weevil 497; birch leaf miner 800; cereal leaf beetle (spread) 720; clover head weevil 986; European corn borer 52; European pine shoot moth 419; face fly 886; giant hornet 844; a Japanese weevil 300; meadow spittlebug 165; northern corn rootworm 1092; pear psylla 826; southern corn rootworm 1093; southern green stink bug 748; vetch bruchid 376; western corn rootworm 1094

Maps (quarantine) - black stem rust 1070; cereal leaf beetle 946; Japanese beetle 346; phony peach 894; soybean cyst nematode 160; vetch bruchid 376; witchweed 736

Neophyllaphis Takahashi - notes and key to species 187-194

Oriental wood borer - background information 95

Pictorial keys - coffee bean weevil 496; cottonwood leaf beetle and related species with similar habits 1038

Potato psyllid - survey in spring breeding areas of Arizona and California, 1967 304; Texas and southeastern New Mexico 359-360

Preparation of notes for the Cooperative Economic Insect Report 26, 825, 1008

Status reports - alfalfa weevil, 1966 19-26; corn rootworms, 1967 1087-1094; European chafer, 1966 56; European corn borer 1966 46-52

State survey coordinators 8-10

Sugarcane borer - infestation and crop loss in Louisiana in 1966 530-531

Summary of insect conditions in the U.S., 1966. Beans and peas 207-208. Beneficial insects 289-291. Citrus 233-234. Cole crops 209-210. Contributors 298-299. Corn, sorghum, sugarcane 137-142. Cotton 181-183. Cucurbits 210-211. Deciduous fruits and nuts 227-233. Federal and State plant protection programs 291-294. Forage legumes 159-164. Forest 256-259. General vegetables 211-214. Hawaii 64-66. Households and structures 297-298. Introduction 121. Man and animals 265-271. Miscellaneous field crops 185-186. Ornamentals 253-255. Peanuts 167. Potatoes, tomatoes, peppers 204-207. Shade trees 260-265. Small fruits 234-236. Small grains 143-145. Soybeans 164-167. Special insects of regional significance 121-127. Stored products 288-289. Sugarbeets 184-185. Tobacco 183-184. Tropical and subtropical fruits 234. Turf pastures, rangeland 146-148. Weather of the year, 1966 295-297

Survey methods - selected references 1965-1966, part I 97-112; 1964, part II 326-336; 1963, part III 862-868; 1962, part IV 977-982; 1961, part V 1071-1076. Three-cornered alfalfa hopper in soybeans in Arkansas 324-325; thrips in cotton in Arkansas 356; spotted alfalfa aphid 1060

Wireworms - survey to determine populations during fall and spring of 1966-1967 season and damage to potatoes during spring 1967 in vicinity of Charleston, South Carolina 813

Abgrallaspis cyanophylli (an armored scale) 414
Abgrallaspis howardi (Howard scale) 838
Acacia psyllid (Psylla uncatoides)
Acalymma vittatum (striped cucumber beetle) 210, 211, 365, 411, 513, 540, 567, 594, 624, 651, 678, 706, 765, 814
Acanthiophilus eluta (sunflower fruit fly) 932
Acanthomyops spp. 288
Acanthomyops interjectus (larger yellow ant) 288
Acanthoscelides obtectus (bean weevil) 289
Acaphylla steinwedeni (an eriophyid mite) 134
Acarus siro (grain mite) 547
Aceratagallia sanguinolenta (clover leafhopper) 244, 342
Aceratagallia uhleri 174
Aceria caryae (pecan leafroll mite) 367
Aceria litchii (litchi mite) 550
Aceria neocynodonis (Bermudagrass mite) 64, 146, 148, 505, 617, 700, 784, 842, 860, 923
Aceria sheldoni (citrus bud mite) 234
Aceria tulipae (wheat curl mite) 29, 145, 305, 381, 458, 485, 942
Achaea janata (a noctuid moth) 7, 34, 45, 119
Achatina fulica (giant African snail) 64, 82, 119, 180, 214, 226, 251, 299, 371, 395, 473, 523, 712, 797, 822, 934, 975, 990, 1016, 1048
Acinia picturata (sourbush seed fly) 884
Acleris variana (black-headed budworm) 256, 769
Acrobasis spp. (phycitid moths) 311, 366
Acrobasis betulella 573
Acrobasis caryae (pecan nut casebearer) 229, 245, 281, 311, 346, 366, 412, 465, 486, 571, 627, 636, 708, 855, 910, 926
Acrobasis juglandis (pecan leaf casebearer) 281, 311, 366, 412
Acrobasis tricolorella 229, 346
Acrobasis vaccinii (cranberry fruitworm) 517, 543, 572, 628, 654, 681, 709, 737, 767, 792
Acrolepia assectella (leek moth) 65, 933
Acronicta americana (American dagger moth) 710
Acrosternum hilare (green stink bug) 144, 166, 185, 276, 305, 509, 535, 702, 760, 764, 787, 833, 875, 892, 908, 924
Actebia fennica (black army cutworm) 234
Aculops lycopersici (tomato russet mite) 207, 957
Aculops massalongoi 655
Aculus cornutus (peach silver mite) 680, 766, 816
Aculus schlechtendali (apple rust mite) 233, 445, 542, 680
Acutaspis morrisonorum (an armored scale) 133
Acyrthosiphon barri 282
Acyrthosiphon dirhodum 457, 479
Acyrthosiphon pisum (pea aphid) 3, 15, 16, 29, 40, 59, 77, 90, 116, 132, 152, 159, 162, 199, 203, 208, 220, 243, 246, 278, 307, 342, 362, 383, 386, 407, 410, 439, 443, 460, 463, 481, 485, 507, 512, 534, 539, 562, 567, 589, 618, 624, 646, 649, 651, 671, 677, 701, 729, 758, 784, 809, 832, 850, 873, 907, 923, 942, 970, 986, 1012, 1024, 1032, 1043, 1053, 1065, 1081
Acyrthosiphon solani (foxglove aphid) 467, 650, 676, 705, 733, 813
Adalia bipunctata (two-spotted lady beetle) 80, 223, 248, 285, 351, 881, 1046
Adelges spp. 472, 519, 545, 599, 793
Adelges abietis (eastern spruce gall aphid) 254, 263, 390, 447, 519, 545, 574, 599, 793, 879
Adelges cooleyi (Cooley spruce gall aphid) 254, 318, 415, 447, 468, 519, 545, 599, 793, 960
Adelges piceae (balsam woolly aphid) 257, 259
Adelges strobilobius 349
Adelphocoris spp. 482, 508, 729, 785, 851, 874, 943
Adelphocoris lineolatus (alfalfa plant bug) 163, 461, 482, 508, 534, 562, 590, 619, 646, 672, 701, 729, 758, 785, 809, 832, 851, 874
Adelphocoris rapidus (rapid plant bug) 163, 182, 407, 440, 482, 508, 534, 562, 646, 672, 729, 758, 809, 832, 851, 943
Adelphocoris superbus (superb plant bug) 785
Adoretus sinicus (Chinese rose beetle) 66, 180, 421, 473, 605, 745, 822, 842, 899, 914, 963, 1037
Adoxophyes reticulata (a tortricid moth) 933
Aedes spp. (mosquitoes) 34, 96, 226, 247, 266, 350, 369, 391, 416, 421, 448, 468, 520, 575, 632, 657, 713, 741, 770, 880, 884, 895, 911, 963, 973, 1016
Aedes abserratus 350, 491, 520, 546, 575
Aedes barri 600, 604
Aedes campestris 520
Aedes canadensis 266, 350, 770
Aedes cinereus 201, 203, 266, 350
Aedes dorsalis 224, 284, 520, 575, 600, 632, 657, 685, 713, 770, 819, 880, 895, 973
Aedes excrucians 350, 369, 391, 416, 448, 468, 520, 546, 632, 770
Aedes fitchii 350, 391, 416, 448, 468, 491, 520, 546, 632, 685
Aedes increpitus 224, 284
Aedes melanimon 575, 819, 880
Aedes nigromaculis 713, 819, 880
Aedes punctor 520
Aedes sollicitans (salt-marsh mosquito) 41, 79, 93, 265, 350, 391, 491, 520, 632, 657, 685, 713, 794, 838, 858, 928, 973, 1014, 1034, 1057
Aedes spencerii 350
Aedes spencerii idahoensis 632
Aedes sticticus (floodwater mosquito) 416, 491, 520
Aedes stimulans 391, 416, 468, 546
Aedes taeniorhynchus 266, 369, 391, 468, 632, 685, 1014, 1057
Aedes trichurus 350
Aedes triseriatus 93, 134, 247, 1057
Aedes trivittatus 880, 928
Aedes vexans 32, 41, 62, 79, 93, 134, 177, 201, 224, 247, 266, 284, 391, 416, 448, 520, 546, 575, 600, 632, 657, 685, 713, 741, 770, 794, 819, 838, 858, 880, 895, 911, 928, 946, 961, 973, 1014, 1034, 1057
Aedes vexans nocturnus 34, 96, 226, 345, 421, 523, 690, 774, 884, 963, 1016, 1069
Ageneotettix deorum (a grasshopper) 285, 317, 393, 418, 449, 470, 493, 521, 548, 549, 577, 602, 634, 658, 659, 715, 772, 882, 896
Aglossa caprealis (a pyralid moth) 200
Agonoderus lecontei (seed-corn beetle) 457, 478, 503, 531
Agonopterix costosa (an oecophorid moth) 290
Agonum maculicolle (tule beetle) 287
Agraulis vanillae (a nymphalid butterfly) 879
Agrilus anxius (bronze birch borer) 260, 263, 545, 1034
Agriotes lineatus (lined click beetle) 1049
Agriotes mancus (wheat wireworm) 141, 145
Agriotes obscurus 1049
Agriotes sputator 1049
Agroiconota bivittata* (a lady beetle) 790
Agrotis spp. 309, 310
Agrotis gladiaria (clay-backed cutworm) 534
Agrotis ipsilon (black cutworm) 39, 137, 139, 145, 183, 184, 204, 206 209, 211, 212, 242, 307, 340, 363, 380, 386, 404, 436, 442, 462, 478, 503, 509, 513, 531, 541, 559, 566, 587, 593, 615, 623, 643, 650, 670, 671, 676, 697, 704, 757, 849, 1011. Light traps: 6, 18, 34, 43, 63, 81, 94, 120, 136, 157, 180, 203, 225, 252, 297, 319, 353, 372, 394, 420, 451, 474, 495, 525, 526, 552, 553, 581-582, 606-607, 637-638, 661-662, 691-692, 718-719, 746-747, 775-776, 798-799, 823-824, 843, 861, 885, 901, 916, 931, 950, 964, 975, 989, 1016, 1028, 1037, 1048, 1059, 1086
Agrotis orthogonia (pale western cutworm) 139, 145, 276, 305, 307, 361, 380, 405, 409, 437, 456, 458, 503, 559, 890, 906, 942
Ailanthus webworm (Atteva aurea)
Alder flea beetle (Altica ambiens)
Aleurocanthus woglumi (citrus blackfly) 42, 135, 249, 522, 578, 602, 689, 840, 933, 947, 973, 1047
Aleurocybotus occiduus (a whitefly) 147, 890, 941, 1031

* Carried in Vol. 17 as (Metriona bivittata)

Aleuroplatus gelatinosus (a whitefly) 155
Aleurothrixus floccosus (woolly whitefly) 233
Aleurotrachelus jelinekii (a whitefly) 61
Aleurotuberculatus similis (a whitefly) 254
Aleyrodes pruinosa (a whitefly) 17
Aleyrodes spiraeoides 16, 1045
Alfalfa looper (Autographa californica)
Alfalfa plant bug (Adelphocoris lineolatus)
Alfalfa seed chalcid (Bruchophagus roddi)
Alfalfa webworm (Loxostege commixtalis)
Alfalfa weevil (Hypera postica)
Alfalfa caterpillar (Colias eurytheme)
Alkali bee (Nomia melanderi)
Allotropa burrelli (a platygasterid wasp) 948
Almond moth (Cadra cautella)
Almond scolytid (Scolytus amygdali)
Alphitobius diaperinus (lesser mealworm) 18, 288, 547, 961
Alphitobius piceus 80
Alsophila pometaria (fall cankerworm) 246, 257, 259, 260, 349, 415, 489, 515, 518, 541, 544, 573, 629, 973
Altica ambiens (alder flea beetle) 960
Altica chalybea (grape flea beetle) 235, 347, 414, 543
Altica sylvia 235, 817
Amathes badinodis 387
Amathes c-nigrum (spotted cutworm) 161
Amblycerus robinae (a seed beetle) 961
Amblycorypha sp. (a katydid) 414
Amblyomma americanum (lone star tick) 18, 32, 93, 202, 224, 271, 316, 350, 370, 392, 416, 448, 469, 491, 547, 576, 601, 634, 658, 687, 714, 771, 820, 839, 858, 881, 896, 947, 961, 1035, 1046
Amblyomma maculatum (Gulf Coast tick) 32, 93, 156, 520
American cockroach (Periplaneta americana)
American dagger moth (Acronicta americana)
American dog tick (Dermacentor variabilis)
American plum borer (Euzophera semifuneralis)
Amitus hesperidum (a platygasterid wasp) 42
Amorbia emigratella (Mexican leaf roller) 990
Ampeloglypter ater (a grape cane girdler) 572
Ampeloglypter sesostris (grape cane gall maker) 837
Amphicerus cornutus (a false powder-post beetle) 894
Amphimallon majalis (European chafer) 43, 56, 293, 393, 522, 549, 578, 603, 635, 636, 650, 659, 678, 689, 716, 773, 796, 840, 842, 896, 973
Amphimallon solstitialis (summer chafer) 608
Amphitornus coloradus (a grasshopper) 418, 493, 548, 658
Amphorophora spp. (aphids) 709
Amphorophora nervata 389
Amphorophora rubi 235
Anabrus simplex (Mormon cricket) 225, 291, 292, 882
Anacamptodes fragilaria (a geometrid moth) 899, 929
Anagasta kuehniella (Mediterranean flour moth) 289
Anagrapha falcifera (celery looper) 513
Ananca bicolor (an oedemerid beetle) 450
Anaphothrips obscurus (grass thrips) 141, 145, 147, 437, 438, 505, 559, 563
Anaphothrips zeae 505
Anarsia lineatella (peach twig borer) 311, 346, 366, 569, 596, 625, 735, 815, 878, 909, 945
Anasa tristis (squash bug) 211, 386, 513, 540, 567, 624, 651, 678, 717, 877, 958
Anastrepha ludens (Mexican fruit fly) 43, 249, 352, 471, 522, 550, 603, 690, 841, 882, 932, 948, 1036, 1047, 1085
Anastrepha mombinpraeoptans (West Indian fruit fly) 932
Anastrepha serpentina 932
Anastrepha striata 932
Anastrepha suspensa (Caribbean fruit fly) 6, 33, 43, 62, 81, 94, 118, 156, 202, 249, 286, 317, 352, 371, 418, 449, 470, 494, 493, 522, 549, 577, 635, 636, 689, 716, 740, 743, 763, 773, 796, 821, 840, 896, 912, 915, 932, 962, 1085
Ancylis comptana fragariae (strawberry leaf roller) 234, 446, 516, 628
Angoumois grain moth (Sitotroga cerealella)
Angular-winged katydid (Microcentrum retinerve)
Anisota rubicunda (green-striped maple-worm) 792
Anisota senatoria (orange-striped oakworm) 857, 911
Annona sp. (a fruit fly) 932
Anocentor nitens (tropical horse tick) 156
Anomala oblivia (pine chafer) 573
Anomala orientalis (oriental beetle) 66
Anopheles spp. (mosquitoes) 880, 895
Anopheles atropos 177, 1083
Anopheles crucians 41, 80, 224, 315, 391, 520, 575, 600, 632, 685, 794, 838, 928, 961, 973, 1014, 1057
Anopheles earlei 284
Anopheles freeborni 685, 713
Anopheles melanimon 685
Anopheles punctipennis 632, 657
Anopheles quadrimaculatus (common malaria mosquito) 62, 79, 80, 93, 177, 201, 224, 247, 284, 315, 391, 416, 448, 520, 657, 685, 745, 770, 794, 858, 880, 946, 961, 973, 1014, 1034, 1057
Anopheles walkeri 265, 266, 575, 741, 819
Anoplolepis longipes (long-legged ant) 884, 990
Anormenis septentrionalis (a flatid planthopper) 572
Anthocorid bugs 470
Anthonomus eugenii (pepper weevil) 158, 473, 987, 1028, 1037
Anthonomus grandis (boll weevil) 53, 55, 181, 248, 308, 321, 384, 408, 441, 461, 483, 509, 536, 564, 591, 620, 647, 673, 702, 730, 760, 787, 810, 833, 851, 875, 892, 908, 924, 944, 957, 971, 986, 1012, 1024, 1035, 1068, 1082, 1085
Anthonomus grandis complex (boll weevil complex) 42, 294, 1015
Anthonomus musculus (cranberry weevil) 347
Anthonomus scutellaris (plum gouger) 445
Anthonomus signatus (strawberry weevil) 235, 389, 517, 598, 628
Anthrenus scrophulariae (carpet beetle) 248, 417
Anticarsia gemmatalis (velvetbean caterpillar) 164, 167, 759, 810, 851, 892, 924
Aonidiella aurantii (California red scale) 17, 91, 117, 222, 245, 282, 856, 910, 1033, 1066
Antonina graminis (Rhodes-grass scale) 148, 242, 318, 757, 873, 890, 906, 942, 1024, 1028
Antonina pretiosa (a mealybug) 365, 768, 1066
Anuraphis helichrysi (an aphid) 542
Anuraphis maidiradicis (corn root aphid) 141, 669
Anuraphis middletonii 765
Anuraphis tulipae See Dysaphis tulipae
Anysis alcocki (a pteromalid wasp) 82
Aonidiella spp. (armored scales) 1066
Aonidiella citrina (yellow scale) 17, 30, 31, 41, 91, 133, 153, 222, 233, 282, 312, 347, 388, 446, 551, 571, 628, 681, 709, 737, 792, 816, 817, 836, 842, 856, 926, 959, 988, 1013, 1033, 1055, 1056, 1066
Aonidiella orientalis 200
Aonidiella taxus 678
Apanteles sp. (a braconid) 471, 655
Apanteles congregatus 289
Apanteles glomeratus 81
Apanteles melanoscelus 689
Apanteles militaris 66
Aphelenchoides fragariae (a nematode) 936
Aphelinus flaviventris (a eulophid wasp) 812, 820
Aphelinus semiflavus 1015
Aphidius spp. (braconids) 289, 449, 962
Aphidius pulcher 278, 289, 460
Aphidius testaceipes 214

Aphids
4, 222, 227, 228, 253, 254, 258, 279, 282, 307, 315, 381, 384, 409, 441, 483, 537, 595, 675, 704, 729, 732, 812, 834, 926, 988
Aphis spp.
672
Aphis craccae
672, 729
Aphis craccivora (cowpea aphid)
182, 203, 208, 245, 307, 348, 388, 437, 462, 463, 510, 592, 646, 651, 684, 899, 1045, 1082
Aphis fabae (bean aphid)
141, 185, 199, 208, 414, 485, 539, 594, 651, 672, 677, 706, 734, 764, 853
Aphis gossypii (cotton aphid, melon aphid)
45, 60, 92, 182, 210, 211, 213, 234, 244, 279, 308, 309, 343, 344, 363, 384, 409, 441, 462, 463, 467, 472, 510, 537, 565, 592, 594, 622, 624, 648, 651, 675, 678, 704, 706, 734, 762, 876, 893, 925
Aphis illinoisensis (grapevine aphid)
737
Aphis nasturtii (buckthorn aphid)
206, 566, 623, 650, 676, 705, 733, 813
Aphis nerii (oleander aphid)
4, 246
Aphis pomi (apple aphid)
230, 280, 311, 346, 387, 412, 445, 465, 487, 541, 570, 597, 626, 653, 679, 707, 735, 766, 815, 854
Aphis pseudohederae
254
Aphis spiraecola (spirea aphid)
79, 176, 222, 313, 414, 1025, 1046, 1082
Aphodius sp. (a dung beetle)
417
Aphodius bicolor
33
Aphodius vittatus
417
Aphrophora spp.
415
Aphrophora parallela (pine spittlebug)
369, 415, 468, 490, 519, 574, 655, 711
Aphrophora saratogensis (Saratoga spittlebug) 5, 415, 655, 711, 740, 838
Apion antiquum (South African emex weevil)
318, 1069
Apion longirostre (hollyhock weevil)
467, 472, 489, 572, 598, 604
Apion ulicis (a gorse weevil)
290
Apis mellifera (honey bee)
248, 289, 392, 492, 577, 743, 772
Aplonobia myops (a spider mite)
213
Apotoforma sp. (a tortricid moth)
157, 550, 712, 930
Apple aphid
(Aphis pomi)
Apple curculio
(Tachypterellus quadrigibbus)
Apple grain aphid
(Rhopalosiphum fitchii)
Apple leafhopper
(Empoasca maligna)
Apple maggot
(Rhagoletis pomonella)
Apple mealybug
(Phenacoccus aceris)
Apple red bug
(Lygidea mendax)
Apple rust mite
(Aculus schlechtendali)
Apterona crenulella (a psychid moth)
247, 288, 617
Araecerus fasciculatus (coffee bean weevil) 496
Arborvitae leaf miner
(Argyresthia thuiella)
Archips argyrospilus (fruit-tree leaf roller) 228, 234, 244, 390, 444, 465, 486, 489, 518, 541, 596, 599
Archips cerasivoranus (ugly-nest caterpillar) 629
Archips rosana (a tortricid moth)
963
Archlagocheirus funestus (a cerambycid beetle) 66
Argentine ant
(Iridomyrmex humilis)
Argyresthia thuiella (arborvitae leaf miner) 253, 544
Argyrotaenia sp. (a leaf roller moth)
367
Argyrotaenia alisellana
225
Argyrotaenia citrana (orange tortrix)
234, 235, 987
Argyrotaenia cockerellana
253, 517
Argyrotaenia velutinana (red-banded leaf roller) 228, 281, 312, 346, 366, 387, 444, 465, 486, 514, 569, 596, 625, 652, 707, 735, 765, 791, 815
Army cutworm
(Chorizagrotis auxiliaris)
Armyworm
673
Armyworm
(Pseudaletia unipuncta)
Aroga websteri (sagebrush defoliator)
146
Arphia sp. (a grasshopper)
795
Arphia conspersa
418
Artichoke plume moth
(Platyptilia carduidactyla)
Artipus floridanus (a weevil)
92, 509
Asaphes lucens (a pteromalid wasp)
248, 251
Ascalapha odorata (black witch moth)
550
Ash-gray blister beetle
(Epicauta fabricii)
Ash plant bug
(Neoborus amoenus)
Asiatic garden beetle
(Maladera castanea)
Asiatic oak weevil
(Cyrtepistomus castaneus)
Asiatic rice borer
(Chilo suppressalis)
Asiphum pseudobyrsum (an aphid)
739
Asparagus beetle
(Crioceris asparagi)
Aspen blotch miner
(Lithocolletis tremuloidiella)
Aspen leaf beetle
(Chrysomela crotchi)
Asphondylia sp. (a cecidomyiid midge)
235
Aspidiotus camelliae (an armored scale)
246, 368, 389
Aspidiotus cryptomeriae
1057, 1058
Aspidiotus destructor (coconut scale)
117, 120, 838
Aspidiotus hederae (oleander scale)
See Aspidiotus nerii
Aspidiotus juglansregiae (walnut scale)
17, 413, 631, 653, 767
Aspidiotus liquidambaris
490, 494
Aspidiotus nerii (oleander scale)
61, 133, 246, 252, 264, 368, 389, 1066
Aspidiotus perniciosus (San Jose scale)
4, 60, 91, 154, 175, 231, 348, 387, 413, 515, 626, 680, 710, 958, 1032
Aspidiotus uvae (grape scale)
78
Asteia n. sp. (an asteiid fly)
119, 120
Aster leafhopper
(Macrosteles fascifrons)
Asterolecanium arabidis
853, 860
Asterolecanium minus
264, 315
Atomacera decepta (an argid sawfly)
709
Attagenus piceus (black carpet beetle)
93, 287
Atteva aurea (ailanthus webworm)
253
Aulacaspis rosae (rose scale)
282, 1056
Aulocara elliotti (a grasshopper)
285, 317, 393, 418, 449, 470, 493, 521, 549, 577, 634, 635, 658, 688, 715, 743, 772, 882
Autographa californica (alfalfa looper)
152, 176, 186, 507, 538, 595, 622, 624, 645, 759, 814, 853, 1056
Automeris io (io moth)
446
Azalea bark scale
(Eriococcus azaleae)
Azalea caterpillar
(Datana major)
Azalea lace bug
(Stephanitis pyrioides)
Azalea leaf miner
(Gracillaria azaleella)
Azalea whitefly
(Pealius azaleae)
Azya luteipes (a lady beetle)
318, 450

B

Bactra verutana chrysea (an olethreutid moth) 157, 831, 970, 1011
Bagworm
(Thyridopteryx ephemeraeformis)
Balclutha hebe (a leafhopper)
39
Balclutha rosea
39
Balsam gall midge
(Dasineura balsamicola)
Balsam twig aphid
(Mindarus abietinus)
Balsam woolly aphid
(Adelges piceae)
Bamboo powder-post beetle
(Dinoderus minutus)
Banded sunflower moth
(Phalonia hospes)
Banded-wing whitefly
(Trialeurodes abutilonea)
Banks grass mite
(Oligonychus pratensis)
Baris granulipennis (melon weevil)
431
Bark beetles
256, 257
Barley thrips
(Limothrips denticornis)
Barnacle scale
(Ceroplastes cirripediformis)
Bathyplectes sp. (an ichneumon wasp)
588
Bathyplectes curculionis
289, 370, 417, 419, 449, 450, 481, 492, 551, 717, 912
Bean aphid
(Aphis fabae)
Bean butterfly
(Lampides boeticus)
Bean leaf beetle
(Cerotoma trifurcata)

Bean leaf roller
(Urbanus proteus)
Bean pod borer
(Maruca testulalis
Bean thrips
(Caliothrips fasciatus)
Bean weevil
(Acanthoscelides obtectus)
Bed bug
(Cimex lectularius)
Bedellia orchilella (sweetpotato leaf miner) 1069
Bedellia somnulentella (morning-glory leaf miner) 212, 925
Beech blight aphid
(Prociphilus imbricator)
Beech scale
(Cryptococcus fagi)
Beet armyworm
(Spodoptera exigua)
Beet leafhopper
(Circulifer tenellus)
Beet leaf miner
(Pegomya betae)
Beet webworm
(Loxostege sticticalis)
Bembecia marginata (raspberry crown borer) 389
Bemisia berbericola (a whitefly) 313
Bemisia giffardi 550
Bemisia tabaci (sweetpotato whitefly) 1066
Beneficial insects 317
Bermudagrass mite
(Aceria neocynodonis)
Big-eyed bugs 470, 634
Billbugs 361, 380, 436
Biolysia tristis (an ichneumon wasp) 160
Birch leaf miner
(Fenusa pusilla)
Black army cutworm
(Actebia fennica)
Black blister beetle
(Epicauta pennsylvanica)
Blackburn butterfly
(Vaga blackburni)
Black carpet beetle
(Attagenus piceus)
Black cherry aphid
(Myzus cerasi)
Black cherry fruit fly
(Rhagoletis fausta)
Black citrus aphid
(Toxoptera aurantii)
Black cutworm
(Agrotis ipsilon)
Black dung beetle
(Copris incertus prociduus)
Black flies 201, 266, 391, 576, 770
Black-headed ash sawfly
(Tethida cordigera)
Black-headed budworm
(Acleris variana)
Black Hills beetle
(Dendroctonus ponderosae)
Black-headed fireworm
(Rhopobota naevana)
Black horse fly
(Tabanus atratus)
Black-legged tick
(Ixodes scapularis)
Black-legged tortoise beetle
(Jonthonota nigripes)
Black-margined aphid
(Monellia costalis)
Black parlatoria scale
(Parlatoria zizyphus)
Black peach aphid
(Brachycaudus persicaecola)
Black pecan aphid
(Myzocallis caryaefoliae)
Black pine-leaf scale
(Nuculaspis californica)
Black scale
(Saissetia oleae)
Black stem rust
(Puccinia graminis)
Black thread scale
(Ischnaspis longirostris)
Black turpentine beetle
(Dendroctonus terebrans)
Black vine thrips
(Retithrips syriacus)
Black vine weevil
(Brachyrhinus sulcatus)
Black widow spider
(Latrodectus mactans)
Black witch moth
(Ascalapha odorata)
Blapstinus spp. (darkling beetles) 566
Blatta orientalis (oriental cockroach) 392, 687
Blattella germanica (German cockroach) 287, 742
Blissus spp. (chinch bugs) 617, 808, 849
Blissus hirtus (hairy chinch bug) 849, 891
Blissus insularis (southern chinch bug) 89, 132, 505, 617, 784, 970, 974, 985, 990
Blissus leucopterus (chinch bug) 3, 137, 142, 143, 144, 147, 276, 304, 340, 361, 405, 436, 437, 457, 479, 504, 559, 616, 617, 644, 669, 670, 728, 756, 808, 849, 906, 922, 923, 1043, 1065
Blister beetles 263
Bloodsucking conenose
(Triatoma sanguisuga)
Blueberry maggot
(Rhagoletis mendax)
Blueberry thrips
(Frankliniella vaccinii)
Blueberry tip midge
(Contarinia vaccinii)
Bluegrass billbug
(Sphenophorus parvulus)
Bluegrass webworm
(Crambus teterrellus)
Boll weevil
(Anthonomus grandis)
Boll weevil complex
(Anthonomus grandis complex)
Bollworm
(Heliothis zea)
Bondia comonana (a carposinid moth) 707
Boopedon nubilum (a grasshopper) 418, 449, 493, 521, 577, 602, 688
Bothynus gibbosus (carrot beetle) 540
Bourletiella hortensis (garden springtail) 409
Bovicola bovis (cattle biting louse) 5, 41, 61, 80, 93, 118, 134, 177, 224, 270, 1035, 1084
Boxelder aphid
(Periphyllus negundinis)
Boxelder bug
(Leptocoris trivittatus)
Boxelder leaf roller
(Gracillaria negundella)
Boxwood leaf miner
(Monarthropalpus buxi)
Brachycaudus cardui (thistle aphid) 765
Brachycaudus persicaecola (black peach aphid) 153, 245, 318, 346
Brachycolus tritici (western wheat aphid) 143
Brachyrhinus spp. (weevils) 409, 414
Brachyrhinus cribricollis 212, 230, 254, 737
Brachyrhinus meridionalis 253, 737
Brachyrhinus ovatus (strawberry root weevil) 253, 287, 442, 446, 572, 598
Brachyrhinus sulcatus (black vine weevil) 253, 313, 348, 442, 511, 544, 572, 737, 768, 817
Brachystola magna (lubber grasshopper) 470
Bracon gelechiae (a braconid) 392
Braconids 289
Bradybaena similaris (a garden snail) 251, 318, 523
Bradysia impatiens (a sciarid midge) 16, 18, 208
Brevicoryne brassicae (cabbage aphid) 30, 45, 60, 64, 210, 539, 734, 764, 790, 877, 909, 1046
Brevipalpus spp. (false spider mites) 200
Brevipalpus essigi 200
Brevipalpus lewisi (citrus flat mite) 234, 245, 367, 767, 878, 945, 1025, 1033
Brevipalpus obovatus (privet mite) 44, 200, 283, 516, 1026
Brevipalpus phoenicis 180, 251
Brevipalpus pini 988
Brevipalpus russulus 972, 974
Bristly cutworm
(Lacinipolia renigera)
Broad mite
(Hemitarsonemus latus)
Broad-necked root borer
(Prionus laticollis)
Bronze birch borer
(Agrilus anxius)
Bronzed cutworm
(Nephelodes emmedonius)
Brown-banded cockroach
(Supella supellectilium)
Brown chafer
(Serica brunnea)
Brown citrus aphid
(Toxoptera citricida)
Brown dog tick
(Rhipicephalus sanguineus)
Brown dung beetle
(Onthophagus catta)
Brown garden snail
(Helix aspersa)
Brown-headed ash sawfly
(Tomostethus multicinctus)
Brown recluse spider
(Loxosceles reclusa)
Brown soft scale
(Coccus hesperidum)
Brown stink bug
(Euschistus servus)
Brown-tail moth
(Nygmia phaeorrhoea)
Brown wheat mite
(Petrobia latens)
Bruchophagus platyptera (clover seed chalcid) 163, 759
Bruchophagus roddi (alfalfa seed chalcid) 163, 729, 851, 874, 892
Bruchus brachialis (vetch bruchid) 376, 439, 989

Bruchus pisorum (pea weevil)
161
Bryobia praetiosa (clover mite)
134, 213, 219, 220, 248, 288, 343, 417
Bryobia rubrioculus (a fruit-tree mite)
233, 413, 445, 488
Bucculatrix thurberiella (cotton leaf perforator) 182, 483, 732, 762, 788, 812, 908, 925
Buck moth
(Hemileuca maia)
Buckthorn aphid
(Aphis nasturtii)
Budworms
409
Buffalo grass webworm
(Suratha indentella)
Buffalo treehopper
(Stictocephala bubalus)
Bulb mite
(Rhizoglyphus echinopus)
Bulb scale mite
(Steneotarsonemus laticeps)
Bumble flower beetle
(Euphoria inda)
Busseola fusca (maize stalk borer)
933
Byturus rubi (eastern raspberry fruitworm)
235, 517

C

Cabbage aphid
(Brevicoryne brassicae)
Cabbage curculio
(Ceutorhynchus rapae)
Cabbage looper
(Trichoplusia ni)
Cabbage maggot
(Hylemya brassicae)
Cabbage seedpod weevil
(Ceutorhynchus assimilis)
Cabbage webworm
(Hellula rogatalis)
Cacaecimorpha pronubana (a tortricid moth)
544
Cactus scale
(Diaspis echinocacti)
Cadra cautella (almond moth)
289
Caemurgina erechtea (forage looper)
618, 645
Calacarus adornatus (an eriophyid mite)
134
Calico scale
(Lecanium cerasorum)
California five-spined ips
(Ips confusus)
California oakworm
(Phryganidia californica)
California pear-slug
(Pristiphora abbreviata)
California red scale
(Aonidiella aurantii)
Caliothrips fasciatus (bean thrips)
225
Caliroa cerasi (pear-slug)
232, 255, 265, 542, 570, 626, 653, 656, 680, 766, 815, 855, 856, 972
Caliroa lineata (a sawfly)
684, 711
Callisto geminatella (unspotted tentiform leaf miner) 229, 346
Callosobruchus maculatus (cowpea weevil)
417
Caloglyphus sp. (an acarid mite)
370
Caloglyphus mycophagus
80
Calomycterus setarius (a Japanese weevil)
287, 300, 579, 590, 636, 758, 763, 906
Calosoma frigidum (a ground beetle)
548
Cameraria spp. (leaf blotch miners)
738
Cameraria hamadryadella (solitary oak leaf miner) 738
Camnula pellucida (clear-winged grasshopper) 521, 549, 659, 688, 743, 795, 821
Camphor scale
(Pseudaonidia duplex)
Camponotus spp.
288
Camponotus abdominalis floridanus (Florida carpenter ant) 771
Campsomeris marginella modesta (a scoliid wasp) 66
Cane leafhopper egg sucker
(Tytthus mundulus)
Cankerworms
541
Capitophorus spp. (aphids)
879, 881
Caribbean fruit fly
(Anastrepha suspensa)
Carmine spider mite
(Tetranychus telarius)
Carneocephala spp. (leafhoppers)
645
Carolina grasshopper
(Dissosteira carolina)
Carolina mantid
(Stagmomantis carolina)
Carpenterworm
(Prionoxystus robiniae)
Carpet beetle
(Anthrenus scrophulariae)
Carpocapsa pomonella (codling moth)
227, 281, 311, 346, 366, 387, 412, 444, 465, 486, 514, 541, 569, 596, 625, 652, 679, 707, 735, 765, 790, 814, 854, 878, 909, 958. Light traps: 553, 581-582, 606, 691, 719, 747, 776, 799, 885, 901, 916
Carpophilus sp.
466, 699, 709
Carpophilus dimidiatus (corn sap beetle)
727
Carpophilus hemipterus (dried-fruit beetle) 466, 626, 699, 815
Carpophilus humeralis (a sap beetle)*
699
Carpophilus lugubris (dusky sap beetle)
141, 628, 822
Carposina niponensis (peach fruit moth)
933
Carrot beetle
(Bothynus gibbosus)
Carrot rust fly
(Psila rosae)
Carrot weevil
(Listronotus oregonensis)
Carulaspis minima (an armored scale)
395
Caryedon gonagra
See Caryedon serratus
Caryedon serratus (ground-nut bruchid, tamarind seed beetle) 900
Casemaking clothes moth
(Tinea pellionella)
Catalpa sphinx
(Ceratomia catalpae)
Cathartus quadricollis (square-necked grain beetle) 890, 947, 989
Cattle biting louse
(Bovicola bovis)
Cattle grubs
265
Cattle lice
32, 265, 350, 1058
Cattle tail louse
(Haematopinus quadripertusus)
Cavariella aegopodii (an aphid)
485
Cecidomyia spp. (cecidomyiid midges)
739
Cecidomyia piniinopis (a pine resin midge) 599, 739, 818, 960
Cecidomyia verrucicola
711
Celama sorghiella (sorghum webworm)
140, 587, 615, 755, 830, 849, 872, 889, 906, 921, 956
Celerio lineata (white-lined sphinx)
211, 617, 624, 654, 699
Celery fly
(Euleia heraclei)
Celery leaf tier
(Udea rubigalis)
Celery looper
(Anagrapha falcifera)
Centeterus sp. (an ichneumon wasp)
417
Cephalcia fascipennis (a web-spinning sawfly) 684
Cephalonomia tarsalis (a bethylid wasp)
81
Cephenemyia spp. (nose bot flies)
17, 1067, 1084
Cephus cinctus (wheat stem sawfly)
143, 145, 588, 616, 699
Cerambyx dux (stone-fruit tree borer)
373
Ceramica picta (zebra caterpillar)
908
Ceratitis capitata (Mediterranean fruit fly) 65, 82, 291, 294, 603, 631, 690, 712, 859, 860, 932, 962, 1015, 1059
Ceratitis colae
932
Ceratitis rosa
932
Ceratomia catalpae (catalpa sphinx)
318
Ceratophyllus niger (western chicken flea)
469
Cereal leaf beetle
(Oulema melanopus)
Cereal leaf miner
(Syringopais temperatella)
Cerococcus deklei (a pit scale)
133, 630, 927
Cerodontha sp. (a leaf miner fly)
440
Ceroplastes spp. (wax scales)
315, 368
Ceroplastes ceriferus
4
Ceroplastes cirripediformis (barnacle scale) 7, 45, 65, 82, 450, 473, 580, 631, 745, 842, 914, 1028, 1086
Ceroplastes floridensis (Florida wax scale)
1055
Ceroplastes rubens (red wax scale)
914, 1037
Cerotoma trifurcata (bean leaf beetle)
166, 207, 278, 309, 342, 344, 364, 386, 410, 460, 461, 463, 482, 485, 507, 509, 512, 535, 563, 619, 623, 647, 672, 702, 730, 759, 786, 810, 833, 851, 874, 892, 907, 924, 943, 957, 1024
Ceutorhynchus sp.
443
Ceutorhynchus assimilis (cabbage seedpod weevil) 386, 443
Ceutorhynchus rapae (cabbage curculio)
365
Chaetocnema spp.
531, 727, 783, 831, 906, 922, 985
Chaetocnema confinis (sweetpotato flea beetle) 211, 212, 485, 652, 922, 971

* Carried in Vol. 17 as Urophorus humeralis

Chaetocnema ectypa (desert corn flea beetle) 39, 59, 89, 90, 141, 212, 478, 531, 807, 890, 922
Chaetocnema magnipunctata (a flea beetle) 147
Chaetocnema pulicaria (corn flea beetle) 137, 141, 304, 344, 361, 380, 404, 436, 456, 478, 531, 551, 587, 669, 698, 727, 783
Chaetosiphon spp. 235
Chaetosiphon fragaefolii (strawberry aphid) 134, 235, 282, 348, 389, 414
Chaff scale (Parlatoria pergandii)
Chalcodermus aeneus (cowpea curculio) 207, 208, 386, 651, 706, 790, 876
Chalcolepidus erythroloma (a click beetle) 345, 352
Cherry fruit fly (Rhagoletis cingulata)
Cherry fruitworm (Grapholitha packardi)
Chicken body louse (Menacanthus stramineus)
Chicken mite (Dermanyssus gallinae)
Chileaphis michelbacheri (an aphid) 187
Chilo loftini (a crambid moth) 942, 969, 970
Chilo suppressalis (Asiatic rice borer) 933
Chilocorus stigma (twice-stabbed lady beetle) 285, 351, 1035
Chinch bug (Blissus leucopterus)
Chinese mantid (Tenodera aridifolia sinensis)
Chinese rose beetle (Adoretus sinicus)
Chionaspis etrusca (an armored scale) 1034
Chionaspis furfura (scurfy scale) 490, 515
Chionaspis longiloba 200, 203
Chionaspis quercus 710, 717
Chionaspis sylvatica 857, 860
Chironomid midges 770
Chironomus plumosus (a lake midge) 713, 770, 819
Chirothrips spp. (thrips) 147, 406, 438, 480, 505, 645, 891
Chirothrips mexicanus 505
Chirothrips simplex 505
Chlorochroa spp. See Pitedia spp.
Chlorotabanus crepuscularis (a horse fly) 576
Choristoneura spp. (tortricid moths) 573
Choristoneura fumiferana (spruce budworm) 253, 257, 544, 573, 631, 960
Choristoneura pinus (jack-pine budworm) 257, 489, 518, 544, 573, 655, 684, 711, 739, 769, 818
Choristoneura rosaceana (oblique-banded leaf roller) 486, 517
Chorizagrotis auxiliaris (army cutworm) 77, 89, 115, 151, 173, 197, 217, 241, 275, 303, 339, 359, 379, 403, 435, 455, 494, 477, 585, 805. Light traps: 420, 451, 474, 495, 525, 552, 581, 637, 661, 691, 718, 746, 775, 798, 861, 901, 916, 950, 964
Chorizococcus californicus (a mealybug) 44
Chorizococcus lounsburyi 79
Chorizococcus rostellum 115
Chorthippus curtipennis (a grasshopper) 820, 882
Chortophaga viridifasciata (green-striped grasshopper) 179
Chrysanthemum aphid (Macrosiphoniella sanborni)
Chrysobothris mali (Pacific flatheaded borer) 230
Chrysochus cobaltinus (a leaf beetle) 205
Chrysolina quadrigemina (a klamath-weed beetle) 930, 1016
Chrysomela crotchi (aspen leaf beetle) 1038
Chrysomela interrupta 314
Chrysomela knabi 1038
Chrysomela lineatopunctata 1038
Chrysomela scripta complex (cottonwood leaf beetles) 262, 390, 738, 768
Chrysomphalus sp. (an armored scale) 226
Chrysomphalus aonidum (Florida red scale) 31, 44, 92, 255, 371, 709, 910
Chrysomphalus bifasciculatus 628
Chrysomphalus dictyospermi (dictyospermum scale) 988
Chrysopa spp. (green lacewings) 285, 291, 316, 417, 989, 1015, 1035, 1047
Chrysopa lanata 188
Chrysopa oculata (golden-eye lacewing) 291, 370
Chrysops spp. (deer flies) 269, 270, 448, 686, 741, 771, 795, 839
Cicada killer (Sphecius speciosus)
Cicadas 264
Cigar casebearer (Coleophora serratella)
Cigarette beetle (Lasioderma serricorne)
Cimbex americana (elm sawfly) 265
Cimex lectularius (bed bug) 270, 947
Cinara spp. (conifer aphids) 78, 92, 133, 154, 246, 263, 284, 389, 631, 1083
Cinara carolina 393, 395, 523
Cinara curvipes 263, 447
Cinara pini 284
Cinara strobi (white-pine aphid) 415, 1034, 1057
Cinara tujafilina 60, 133, 134, 176, 222, 246, 282, 389, 1026
Circulifer tenellus (beet leafhopper) 15, 94, 121, 126, 131, 185, 217-218, 241, 275, 309, 330, 343, 379, 403, 455, 477, 501, 529, 665, 753, 1068, 1081
Citrus blackfly (Aleurocanthus woglumi)
Citrus bud mite (Aceria sheldoni)
Citrus flat mite (Brevipalpus lewisi)
Citrus flower moth (Prays citri)
Citrus mealybug (Planococcus citri)
Citrus red mite (Panonychus citri)
Citrus rust mite (Phyllocoptruta oleivora)
Citrus thrips (Scirtothrips citri)
Citrus whitefly (Dialeurodes citri)
Clastoptera achatina (pecan spittlebug) 312, 598
Clastoptera arizonana 318
Clastoptera juniperina 264, 682
Clausenia purpurea (an encyrtid wasp) 948
Clavaspis ulmi (an armored scale) 1057, 1058
Clay-backed cutworm (Agrotis gladiaria)
Clear-winged grasshopper (Camnula pellucida)
Climbing cutworms 541
Cloudy-winged whitefly (Dialeurodes citrifolii)
Clover aphid (Nearctaphis bakeri)
Clover cutworm (Scotogramma trifolii)
Clover head caterpillar (Grapholitha interstinctana)
Clover head weevil (Hypera meles)
Clover leafhopper (Aceratagallia sanguinolenta)
Clover leaf weevil (Hypera punctata)
Clover mite (Bryobia praetiosa)
Clover root curculio (Sitona hispidula)
Clover seed chalcid (Bruchophagus platyptera)
Clover seed weevil (Miccotrogus picirostris)
Clover stem borer (Languria mozardi)
Cnephasia longana (omnivorous leaf tier) 488, 516
Coccinella novemnotata (a lady beetle) 492, 1084
Coccus acuminatus 1083
Coccus elongatus 223, 737, 740
Coccus hesperidum (brown soft scale) 61, 91, 154, 176, 233, 245, 246, 414, 856, 1066, 1082
Coccus viridis (green scale) 4, 158, 251, 318, 1037, 1055
Cochlicella barbara (a snail) 934
Cochlicella conoidea 935
Cochliomyia hominivorax (screw-worm) 5, 17, 32, 41, 62, 79, 93, 117, 135, 155, 178, 201, 224, 247, 265, 268, 284, 299, 315, 350, 370, 391, 416, 448, 469, 491, 520, 546, 575, 600, 633, 658, 686, 714, 741, 771, 794, 819, 838, 858, 880, 895, 911, 928, 946, 961, 973, 988, 1014, 1026, 1034, 1046, 1057, 1067, 1083
Cockroaches 287
Coconut leaf roller (Hedylepta blackburni)
Coconut scale (Aspidiotus destructor)
Codling moth (Carpocapsa pomonella)
Coffee bean weevil (Araecerus fasciculatus)

Colaspis spp. (leaf beetles)
673, 702
Colaspis favosa
654
Colaspis pini (pine colaspis)
490
Coleomegilla maculata (a lady beetle)
285, 290, 351, 417, 470, 601, 687, 715, 881
Coleomegilla maculata fuscilabris
178, 223, 285, 290, 370, 576
Coleophora laricella (larch casebearer)
256, 349, 518, 789, 792
Coleophora sacramenta
311
Coleophora serratella (cigar casebearer)
366
Coleotechnites sp. (a gelechiid moth)
769
Coleotechnites milleri (lodgepole needle miner) 769
Colias eurytheme (alfalfa caterpillar)
132, 159, 161, 199, 220, 243, 307, 363, 440, 460, 507, 562, 589, 618, 671, 700, 729, 758, 786, 787, 808, 831, 850, 874, 891, 907, 923, 943, 957, 971, 1024, 1044, 1082
Collops spp. (melyrid beetles)
576, 651
Collops bipunctatus
290
Collops vittatus
449, 521, 742
Colorado potato beetle
(Leptinotarsa decemlineata)
Common cattle grub
(Hypoderma lineatum)
Common cockchafer
(Melolontha melolontha)
Common malaria mosquito
(Anopheles quadrimaculatus)
Comstock mealybug
(Pseudococcus comstocki)
Comstockiella sabalis (an armored scale)
154, 157
Conaxis quadrilateralis (a carnivorous snail) 975
Conchuela
(Pitedia ligata)
Confused flour beetle
(Tribolium confusum)
Conocephalus fasciatus (a grasshopper)
715
Conoderus amplicollis (Gulf wireworm)
813
Conoderus falli (southern potato wireworm) 179, 184, 205, 763, 813, 958
Conoderus vespertinus (tobacco wireworm)
184, 211, 212
Conophthorus coniperda (white-pine cone beetle) 390
Conophthorus scopulorum
263
Conotrachelus nenuphar (plum curculio)
229, 312, 346, 366, 387, 444, 466, 487, 488, 515, 542, 569, 596, 625, 652, 680, 735, 765, 791, 836
Contarinia sp. (a cecidomyiid midge)
5
Contarinia sorghicola (sorghum midge)
137, 142, 503, 531, 616, 669, 756, 784, 808, 849, 872, 890, 906, 922
Contarinia vaccinii (blueberry tip midge)
235
Convergent lady beetle
(Hippodamia convergens)
Cooley spruce gall aphid
(Adelges cooleyi)
Copris incertus prociduus (a dung beetle)
214, 1048
Coptodisca sp. (a shield bearer)
573
Coptosoma xanthogramma (a plataspid bug)
45, 66, 82, 96, 119, 158, 251, 299, 365, 371, 580, 605, 745, 774, 797, 860, 899, 914, 915, 949, 963, 990, 1037
Coptotermes sp.
395
Coptotermes formosanus (Formosan subterranean termite) 66, 135, 395, 471, 578, 603, 604
Copturus floridanus (a weevil)
263
Corimelaena pulicaria (negro bug)
167
Corn earworm
(Heliothis zea)
Corn flea beetle
(Chaetocnema pulicaria)
Corn leaf aphid
(Rhopalosiphum maidis)
Corn planthopper
(Peregrinus maidis)
Corn root aphid
(Anuraphis maidiradicis)
Corn root webworm
(Crambus caliginosellus)
Corn sap beetle
(Carpophilus dimidiatus)
Coryphista meadii (a geometrid moth)
1045
Corythucha arcuata (oak lace bug)
880
Corythucha ciliata (sycamore lace bug)
318, 600, 630, 710, 739, 793, 880
Corythucha gossypii (cotton lace bug)
738
Cosmobaris americana (a weevil)
185, 915
Cosymbia serrulata (kiawe flower looper)
745, 914
Cotinis spp.
645
Cotinis nitida (green June beetle)
144, 227, 230, 234, 235, 340, 381, 617, 626, 644, 645, 651, 652, 700, 735, 942
Cotinis texana
645, 816, 817, 848, 945, 949
Cotton aphid
(Aphis gossypii)
Cotton fleahopper
(Psallus seriatus)
Cotton lace bug
(Corythucha gossypii)
Cotton leaf perforator
(Bucculatrix thurberiella)
Cotton square borer
(Strymon melinus)
Cottonwood borer
(Plectrodera scalator)
Cottonwood leaf beetles
(Chrysomela scripta complex)
Cottony-cushion scale
(Icerya purchasi)
Cottony maple scale
(Pulvinaria innumerabilis)
Cowpea aphid
(Aphis craccivora)
Cowpea curculio
(Chalcodermus aeneus)
Cowpea weevil
(Callosobruchus maculatus)
Crambus spp. (sod webworms)
146, 458, 532, 588, 644, 699, 831, 849, 890
Crambus caliginosellus (corn root webworm) 140, 559
Crambus mutabilis
478, 480
Crambus teterrellus (bluegrass webworm)
406, 505
Crambus topiarius (cranberry girdler)
598, 681
Crambus trisectus
808, 890
Cranberry fruitworm
(Acrobasis vaccinii)
Cranberry girdler
(Crambus topiarius)
Cranberry weevil
(Anthonomus musculus)
Crapemyrtle aphid
(Myzocallis kahawaluokalani)
Crazy ant
(Paratrechina longicornis)
Cremona cotoneastri (a cotoneaster webworm) 517
Crioceris spp.
221, 485, 513, 835
Crioceris asparagi (asparagus beetle)
212, 221, 244, 386, 485, 513, 540, 568, 658, 706, 835
Crioceris duodecimpunctata (spotted asparagus beetle) 212, 221, 464, 485, 513, 540, 568, 835
Crocidosema plebeiana (an olethreutid moth) 654
Croesia semipurpurana (an oak leaf roller)
155, 349
Croesus latitarsus (dusky birch sawfly)
265
Cross-striped cabbageworm
(Evergestis rimosalis)
Crymodes devastator (glassy cutworm)
139, 146, 161, 587, 588, 705, 814
Cryptochetum iceryae (a cryptochetid fly)
345
Cryptococcus fagi (beech scale)
264, 818
Cryptolaemus sp.
894
Cryptolaemus montrouzieri
65, 290, 421, 550, 948, 1068
Cryptomyzus ribis (currant aphid)
543
Cryptophlebia sp. (an olethreutid moth)
180, 473
Cryptophlebia leucotreta
933
Cryptophlebia ombrodelta (litchi fruit
660, 930
Cryptotermes brevis (a powder-post termite) 789, 795
Ctenicera spp.
340
Ctenicera callida
524
Ctenicera pruinina (Great Basin wireworm)
173, 185, 205, 538, 835
Ctenocephalides spp. (fleas)
270, 658
Cuban-laurel thrips
(Gynaikothrips ficorum)
Cuban May beetle
(Phyllophaga bruneri)
Cuerna costalis (a leafhopper)
40
Culex spp. (mosquitoes)
34, 96, 226, 247, 266, 391, 421, 520, 685, 794, 858, 880, 884, 895, 963, 1016
Culex apicalis
632
Culex pipiens
632, 794, 858
Culex pipiens quinquefasciatus (southern house mosquito) 32, 34, 96, 201, 226, 265, 284, 315, 345, 350, 369, 391, 416, 421, 448, 472, 523, 575, 600, 632, 657, 685, 690, 713, 741, 774, 794, 838, 858, 880, 884, 928, 946, 961, 963, 973, 988, 990, 1014, 1016, 1034, 1057, 1069
Culex restuans
41, 62, 79, 80, 93, 134, 177, 224, 225, 247, 284, 369, 416, 448, 491, 520, 575, 632, 657, 713, 741, 794, 858, 880, 928, 946, 961, 973, 1014, 10[illegible] 1057, 1083

Culex salinarius
32, 41, 62, 79, 80, 93, 134, 177, 201, 224, 247, 284, 315, 369, 291, 416, 448, 520, 575, 600, 632, 657, 685, 713, 741, 794, 838, 858, 880, 928, 946, 961, 973, 1014, 1034, 1057, 1083
Culex tarsalis
247, 266, 284, 369, 491, 546, 600, 632, 657, 713, 741, 819, 951
Culex territans
80, 1057
Culex tritaeniorhynchus
951-952
Culicoides niger (a biting midge)
247
Culiseta spp. (mosquitoes)
880, 895
Culiseta inornata
32, 41, 62, 79, 93, 134, 177, 201, 247, 266, 284, 315, 369, 391, 416, 468, 472, 491, 520, 546, 600, 713, 819, 961, 1014, 1034, 1057, 1083
Culiseta morsitans
395
Curculio caryae (pecan weevil)
16, 230, 627, 681, 708, 791, 816, 836, 878, 910, 926, 958, 972, 987, 1025, 1032, 1055, 1082
Currant aphid
(Cryptomyzus ribis)
Currant borer
(Ramosia tipuliformis)
Currant spanworm
(Itame ribearia)
Cutworms
211, 212, 219, 229, 242, 243, 361, 385, 386, 388, 444, 458, 464, 466, 478, 484, 531, 587, 594
Cyclamen mite
(Steneotarsonemus pallidus)
Cyclocephala sp.
956
Cyclocephala borealis (northern masked chafer) 147, 588, 970
Cyclocephala immaculata (southern masked chafer) 617
Cycloneda sanguinea (a lady beetle)
687
Cylas formicarius elegantulus (sweet-potato weevil) 418, 419, 421
Cylindrocopturus eatoni
177
Cylindrocopturus furnissi (Douglas-fir twig weevil) 390
Cynaeus angustus (a darkling beetle)
289
Cyrtepistomus castaneus (Asiatic oak weevil) 287, 497, 650, 710, 717, 757, 763, 857, 859, 927, 929, 949
Cyrtopeltis modesta (a plant bug)
64
Cyrtopeltis notatus (suckfly)
184
Cyrtorhinus fulvus (a predaceous capsid bug) 494, 860, 1037
Cyrtorhinus lividipennis
990

D

Dactylopius confusus (a dactylopiid scale)
225
Dactylopius tomentosus
960
Dacus cucurbitae (melon fly)
82, 94, 371, 421, 523, 631, 712, 842, 859, 932, 975, 990, 1016, 1059
Dacus dorsalis (oriental fruit fly)
6, 7, 43, 62, 65, 82, 214, 249, 291, 294, 299, 317, 318, 580, 690, 859, 884, 932, 1059
Dacus oleae (olive fruit fly)
933
Damsel bugs
248, 470, 521, 634
Danaus plexippus (monarch butterfly)
158, 180
Dark mealworm
(Tenebrio obscurus)
Dark-sided cutworm
(Euxoa messoria)
Dasineura spp. (cecidomyiid midges)
546
Dasineura balsamicola (balsam gall midge) 490, 546, 857
Dasineura gleditchiae
546
Dasychira sp.
257
Dasychira plagiata (pine tussock moth)
490
Datana spp. (notodontid moths)
627, 738
Datana integerrima (walnut caterpillar)
229, 261, 444, 515, 598, 627, 653, 680, 708, 736, 738, 766, 791, 816, 836, 855, 878, 958
Datana major (azalea caterpillar)
837, 910
Datana ministra (yellow-necked caterpillar) 738, 856, 911, 945
Datana perspicua
627
Deer flies
265
Deloyala guttata (mottled tortoise beetle)
877
Deltocephalus hospes (a leafhopper)
345, 690
Dendrobiella aspera (a false powder-post beetle) 263
Dendroctonus spp. (conifer bark beetles)
44, 894, 972, 1056
Dendroctonus brevicomis (southwestern pine beetle, western pine beetle)
177, 256, 259, 545, 960, 1034, 1067
Dendroctonus frontalis (Arizona pine beetle, smaller Mexican pine beetle, southern pine beetle) 44, 154, 257, 259, 684, 711, 818, 880, 894, 972, 1056, 1070
Dendroctonus obesus (Alaska spruce beetle, eastern spruce beetle, englemann spruce beetle, red-winged pine beetle, sitka-spruce beetle) 256, 257
Dendroctonus ponderosae (Black Hills beetle, Jeffrey pine beetle, mountain pine beetle) 256, 257, 259, 960
Dendroctonus pseudotsugae (Douglas-fir beetle) 256, 490, 739, 818
Dendroctonus simplex (eastern larch beetle) 177
Dendroctonus terebrans (black turpentine beetle) 44, 92, 154, 257, 259, 573, 631, 684, 880
Dendroctonus valens (red turpentine beetle) 5, 177, 545, 655
Dendrotettix quercus (a leaf-eating grasshopper) 32, 522
Deodar weevil
(Pissodes nemorensis)
Deraeocoris fasciolus (a mirid bug)
604
Dermacentor albipictus (winter tick)
6, 18, 32, 80, 93, 118, 156, 202, 271, 370, 1014, 1035, 1046, 1067, 1084
Dermacentor andersoni (Rocky Mountain wood tick) 247, 271, 285, 350, 392, 469
Dermacentor occidentalis (Pacific Coast tick) 42, 93, 271
Dermacentor variabilis (American dog tick)
270, 316, 350, 392, 416, 448, 469, 491, 520, 547, 576, 601, 634, 658, 687, 714, 771
Dermanyssus gallinae (chicken mite)
271, 416, 839, 1026
Dermestes spp.
287
Dermestes lardarius (larder beetle)
742
Dermestes maculatus (hide beetle)
714
Dermestid beetles
289
Derobrachus brevicollis (a cerambycid beetle) 380, 408
Deroceras reticulatum (gray garden slug)
60, 313, 505, 531, 540, 543, 616
Desert corn flea beetle
(Chaetocnema ectypa)
Desmia funeralis (grape leaf folder)
232, 737, 817, 945
Devastating grasshopper
(Melanoplus devastator)
Diabrotica spp. (corn rootworms, cucumber beetles) 137, 211, 404, 531, 559, 587, 615, 643, 668, 698, 727, 756, 783, 785, 786, 807, 809, 810, 830, 832, 833, 848, 874, 889, 890, 1011, 1066
Diabrotica longicornis (northern corn rootworm) 140, 304, 531, 559, 587, 615, 643, 669, 698, 727, 756, 783, 807, 809, 810, 814, 830-831, 832, 833, 848, 850, 860, 872, 874, 876, 889, 890, 891, 922, 956, 963, 1087, 1092
Diabrotica undecimpunctata howardi
(southern corn rootworm, spotted cucumber beetle) 8, 140, 161, 174, 211, 280, 342, 361, 380, 383, 404, 411, 443, 457, 507, 513, 540, 673, 698, 706, 785, 786, 809, 810, 830, 831, 832, 833, 848, 872, 877, 923, 943, 957, 970, 986, 1012, 1024, 1031, 1043, 1044, 1056, 1066, 1087, 1093
Diabrotica undecimpunctata tenella (a spotted cucumber beetle) 199, 1066
Diabrotica undecimpunctata undecimpunctata (western spotted cucumber beetle) 141, 207, 210, 212, 625
Diabrotica virgifera (western corn rootworm) 140, 404, 531, 559, 587, 615, 643, 669, 698, 717, 727, 756, 783, 785, 786, 789, 807, 809, 810, 830-831, 832, 833, 848, 860, 872, 874, 884, 889, 890, 900, 921, 956, 963, 1087, 1094
Diachus auratus (a chrysomelid beetle)
91
Diacrisia virginica (yellow woollybear)
698
Diadegma punctoria (an ichneumon wasp)
137
Dialeurodes chittendeni
(rhododendron whitefly)
Dialeurodes citri (citrus whitefly)
6, 42, 62, 224, 249, 254, 294, 317, 352, 418, 549, 603, 767, 773, 882, 1033
Dialeurodes citrifolii (cloudy-winged whitefly) 64, 299, 1037
Diamondback moth
(Plutella xylostella)
Diaphania hyalinata (melonworm)
123
Diaphania nitidalis (pickleworm)
123, 666, 725, 829, 921
Diaspidiotus liquidambaris (an armored scale) 545
Diaspis boisduvalii (an armored scale)
682
Diaspis bromeliae (pineapple scale)
972
Diaspis carueli (juniper scale)
414, 545
Diaspis cocois
1056
Diaspis echinocacti (cactus scale)
117, 255, 283, 1056
Diastata sp. (a diastatid fly)
178

Diatraea crambidoides (southern cornstalk borer) 139, 242, 643, 668, 697, 726, 956
Diatraea saccharalis (sugarcane borer) 15, 139, 530, 615, 784
Dichocrocis punctiferalis (yellow peach moth) 933
Dichomeris marginella (juniper webworm) 253, 389
Dictyonota fuliginosa (a lace bug) 393
Dictyospermum scale (Chrysomphalus dictyospermi)
Differential grasshopper (Melanoplus differentialis)
Dikraneura carneola (a leafhopper) 145, 219, 220
Dilophus orbatus (a March fly) 970, 1065
Dingy cutworm (Feltia subgothica)
Dinoderus minutus (bamboo powder-post beetle) 80, 287 928
Dioryctria spp. (phycitid moths) 154
Dioryctria abietella 44
Dioryctria zimmermani (Zimmerman pine moth) 684, 711, 818, 880
Diploiulus latistriatus hesperus (a milliped) 877, 879
Diplolepis polita (a gall wasp) 255, 265
Diploptera punctata (Pacific beetle cockroach) 158
Diplotaxis sordida (a scarab) 524
Diprion spp. (conifer sawflies) 712
Diprion frutetorum 712, 880, 884
Diprion similis (introduced pine sawfly) 574, 655, 712, 838, 880, 911
Diptacus swensoni (an eriophyid mite) 134, 200
Disholcaspis washingtonensis (a cynipid gall wasp) 880
Dissosteira carolina (Carolina grasshopper) 716, 795
Dissosteira longipennis (High Plains grasshopper) 882
Ditylenchus dipsaci (a nematode) 936
Dog sucking louse (Linognathus setosus)
Dogwood borer (Thamnosphecia scitula)
Dogwood club-gall midge (Mycodiplosis alternata)
Douglas-fir beetle (Dendroctonus pseudotsugae)
Douglas-fir tussock moth (Hemerocampa pseudotsugata)
Douglas-fir twig weevil (Cylindrocopturus furnissi)
Drepanaphis acerifoliae (painted maple aphid) 263, 739, 911, 927, 1026
Drepanopterna femoratum (a grasshopper) 659, 882
Dried-fruit beetle (Carpophilus hemipterus)
Drosophila spp. (vinegar flies) 66, 178, 789, 813
Dusky birch sawfly (Croesus latitarsus)
Dusky sap beetle (Carpophilus lugubris)
Dysaphis plantaginea (rosy apple aphid) 230, 280, 311, 346, 387, 412, 445, 465, 486, 514, 570, 597, 626, 679
Dysaphis tulipae* (tulip bulb aphid) 4, 44, 246, 254

* Also carried in Vol. 17 as Anuraphis tulipae.

Dysmicoccus brevipes (pineapple mealybug) 767

E

Ear tick (Otobius megnini)
Earwigs 287
Eastern field wireworm (Limonius agonus)
Eastern larch beetle (Dendroctonus simplex)
Eastern lubber grasshopper (Romalea microptera)
Eastern raspberry fruitworm (Byturus rubi)
Eastern spruce gall aphid (Adelges abietis)
Eastern subterranean termite (Reticulitermes flavipes)
Eastern tent caterpillar (Malacosoma americanum)
Echthromorpha agrestoria fuscator (an ichneumonid wasp) 179
Ectobius pallidus (spotted Mediterranean cockroach) 687, 1046, 1048
Edwardsiana rosae (rose leafhopper) 910
Eggplant fruit borer (Leucinodes orbonalis)
Egyptian alfalfa weevil (Hypera brunneipennis)
Ehrhornia cupressi (a soft scale) 246
Elaphidionoides parallelus (a long-horned beetle) 515
Elaphidionoides villosus (twig pruner) 263, 739
Elasmopalpus lignosellus (lesser cornstalk borer) 139, 146, 166, 167, 235, 361, 404, 408, 436, 442, 456, 478, 483, 502, 535, 590, 591, 615, 619, 620, 624, 647, 668, 673, 677, 697, 702, 726, 730, 734, 755, 759, 783, 784, 786, 787, 790, 807, 894, 906, 915, 943
Elatobium abietinum (spruce aphid) 254
Eleodes spp. (darkling beetles) 849
Eleodes clavicornis 315
Elm borer (Saperda tridentata)
Elm leaf aphid (Myzocallis ulmifolii)
Elm leaf beetle (Pyrrhalta luteola)
Elm leaf miner (Fenusa ulmi)
Elm sawfly (Cimbex americana)
Empoasca spp. 513
Empoasca fabae (potato leafhopper) 121, 125, 206, 379, 435, 456, 501, 529, 557, 585, 613, 641, 666, 696, 725, 754, 782, 806, 829, 847, 871, 905, 941, 1031
Empoasca maligna (apple leafhopper) 387, 570, 597
Empoasca mexara 563
Empoasca solana (southern garden leafhopper) 16, 40, 64, 371, 473, 550
Enaphalodes rufulus (a roundheaded wood borer) 415
Endelomyia aethiops (rose-slug) 255
Englemann spruce beetle (Dendroctonus obesus)
English grain aphid (Macrosiphum avenae)
Entomoscelis americana (red turnip beetle) 513, 567
Eotetranychus carpini borealis (yellow spider mite) 717
Eotetranychus clitus 367
Eotetranychus lewisi 65, 517
Eotetranychus libocedri 134
Eotetranychus multidigituli 265
Eotetranychus sexmaculatus (six-spotted mite) 30, 61, 91, 133, 221, 281, 282, 312, 347, 367, 388, 446
Eotetranychus willamettei 236
Eotetranychus yumensis (Yuma spider mite) 282, 314, 367, 654
Epicaerus cognatus (a weevil) 933
Epicauta spp. 161, 205, 563, 590, 595, 758, 877
Epicauta fabricii (ash-gray blister beetle) 161, 561, 563
Epicauta pennsylvanica (black blister beetle) 161, 589, 773, 820, 877
Epichorista ionephela (a tortricid moth) 933
Epidiaspis leperii 311
Epidiaspis piricola (Italian pear scale) 117, 245
Epiglaea apiata (a cranberry blossomworm) 516
Epilachna borealis (squash beetle) 211, 279, 651
Epilachna varivestis (Mexican bean beetle) 164, 166, 207, 280, 294, 309, 364, 386, 410, 443, 482, 485, 512, 535, 539, 567, 590, 593, 624, 647, 672, 677, 702, 706, 730, 734, 760, 764, 773, 786, 790, 810, 814, 833, 851, 853, 874, 876, 892, 907, 909, 924, 943, 944, 987
Epinotia aporema 933
Epinotia meritana (white-fir needle miner) 257
Epinotia subvirdis 313
Epipaschia zelleri (an epipaschiid moth) 203
Epiphyas postvittana (light-brown apple moth) 933
Epiptera opaca (a fulgorid planthopper) 524
Episimus sp. (an olethreutid moth) 395
Epitrimerus pyri (pear rust mite) 413, 571
Epitrix spp. 204, 205, 410, 484, 813, 849
Epitrix cucumeris (potato flea beetle) 204, 208, 212, 344, 385, 410, 512, 531, 539, 540, 566, 567, 593, 623, 676, 733, 835
Epitrix hirtipennis (tobacco flea beetle) 64, 183, 184, 204, 343, 364, 409, 462, 512, 538, 565, 593, 649, 704, 712, 763, 893, 925, 1012
Epitrix similaris 957
Epitrix subcrinita (western potato flea beetle) 813
Epitrix tuberis (tuber flea beetle) 204, 676, 813
Eriococcus araucariae 972
Eriococcus azaleae (azalea bark scale) 4, 313, 598
Eriococcus coccineus 1082
Eriococcus quercus 201

Eriophyes insidiosus (an eriophyid mite)
283
Eriophyes pyri (pear leaf blister mite)
488, 542, 627
Eriophyes thujae (tip-dwarf mite)
629
Eriosoma americanum (woolly elm aphid)
710, 768, 927
Eriosoma lanigerum (woolly apple aphid)
154, 230, 286, 346, 412, 465, 487, 489, 541, 570, 597, 653, 717, 766, 854, 958, 1032
Erythroneura spp. (leafhoppers)
235, 245, 311, 348, 1033
Erythroneura aclys
793
Erythroneura elegantula
987
Erythroneura lawsoniana
311
Erythroneura maculata
311
Estigmene acrea (salt-marsh caterpillar)
182, 184, 538, 732, 790, 812, 834, 835, 852, 876, 892, 908, 922, 925, 959, 971, 1012. Light traps: 6, 34, 63, 81, 94, 120, 136, 180, 203, 225, 252, 297, 319, 353, 372, 394, 420, 451, 474, 495, 525, 526, 552, 581-582, 606-607, 637-638, 661-662, 691-692, 718, 746-747, 775-776, 798, 823, 843, 861, 885, 901, 916, 931, 950, 964, 1048, 1059
Ethmia colonella (kou leafworm)
65, 822
Etiella zinckenella (lima-bean pod borer)
208
Euceraphis betulae (an aphid)
545
Eucosma sp. (an olethreutid moth)
154
Eucosoma gloriola
261, 573
Euetheola rugiceps (sugarcane beetle)
340, 361, 436, 457, 503
Euglandina rosea (rosy predator snail)
180, 842, 899, 1048
Eulachnus spp. (aphids)
5, 60, 201, 988, 1083, 1084
Eulachnus agilis
284, 447, 838
Euleia heraclei (celery fly)
933
Euonymus scale
(Unaspis euonymi)
Euphoria inda (bumble flower beetle)
141
Euphyllura sp. (a psyllid)
44
Euphyllura arbuti
44, 264, 600
Eupsilia spp. (noctuid moths)
200
Eupsilia morrisoni
200, 281
Eupsilia vinulenta
200
European apple sawfly
(Hoplocampa testudinea)
European chafer
(Amphimallon majalis)
European cherry fruit fly
(Rhagoletis cerasi)
European corn borer
(Ostrinia nubilalis)
European crane fly
(Tipula paludosa)
European earwig
(Forficula auricularia)
European elm scale
(Gossyparia spuria)
European fruit lecanium
(Lecanium corni)
European pine sawfly
(Neodiprion sertifer)
European pine shoot moth
(Rhyacionia buoliana)
European red mite
(Panonychus ulmi)
Eurygaster integriceps (senn pest)
375
Eurytetranychus buxi (a spider mite)
572
Eurytoma sp. (a eurytomid)
32
Euscelis striatulus (a blunt-nosed leafhopper) 629
Euscepes postfasciatus (West Indian sweetpotato weevil) 64
Euschistus spp.
762, 788, 852, 876, 877
Euschistus conspersus
340
Euschistus servus (brown stink bug)
166, 276, 760, 764, 892, 908
Eutetranychus banksi (Texas citrus mite)
17, 30, 31, 41, 60, 78, 91, 132, 153, 200, 221, 234, 246, 281, 312, 347, 388, 445, 516, 571, 627, 628, 681, 708, 736, 791, 855, 926, 959, 1013, 1033, 1055, 1056
Eutrombicula spp. (chigger mites)
595, 601, 634, 770, 820, 839
Euxesta wettsteini (an otitid fly)
650, 660
Euxoa spp.
145, 313, 389, 410, 411, 440
Euxoa detersa
531
Euxoa messoria (dark-sided cutworm)
139, 211
Euxoa ochrogaster (red-backed cutworm)
184, 186, 234
Euzophera semifuneralis (American plum borer) 346, 366
Everes amyntula (a lycaenid butterfly)
351
Evergestis rimosalis (cross-striped cabbageworm) 40, 925
Exartema permundanum (raspberry leaf roller) 234, 628
Exochomus laeviusculus (a lady beetle)
188
Exoteleia spp. (gelechi'd moths)
447, 518, 769
Exoteleia pinifoliella (pine needle miner) 573
Eye-spotted bud moth
(Spilonota ocellana)

F

Face fly
(Musca autumnalis)
Fall armyworm
(Spodoptera frugiperda)
Fall cankerworm
(Alsophila pometaria)
Fall webworm
(Hyphantria cunea)
False celery leaf tier
(Udea profundalis)
False chinch bug
(Nysius ericae)
False potato beetle
(Leptinotarsa juncta)
Fannia canicularis (little house fly)
267, 687
Faronta diffusa (wheat head armyworm)
380, 405, 437, 458, 644. Light traps: 420, 451, 474, 495, 525, 552, 581, 606, 637, 661, 691-692, 718-719, 746-747, 775, 798-799, 823, 843, 861, 885, 901, 916, 950, 964
Feltia spp.
851
Feltia ducens
345
Feltia subgothica (dingy cutworm)
208, 345, 503
Feltia subterranea (granulate cutworm)
39, 115, 116, 139, 153, 161, 167, 180, 183, 208, 211, 212, 253, 343, 385, 408, 442, 591, 673, 702, 760, 787, 853, 922, 925. Light traps: 6, 18, 34, 43, 63, 81, 94, 120, 136, 157, 203, 225, 252, 297, 319, 353, 372, 394, 420, 451, 474, 495, 525, 526, 552, 553, 581-582, 606-607, 637-638, 661-662, 691-692, 718-719, 746-747, 775-776, 798-799, 823-824, 843, 861, 885, 901, 916, 931, 950, 964, 975, 989, 1016, 1028, 1037, 1048, 1059, 1086
Fenusa spp. (sawflies)
684
Fenusa pusilla (birch leaf miner)
260, 264, 447, 468, 490, 519, 574, 600, 630, 656, 711, 717, 739, 800
Fenusa ulmi (elm leaf miner)
630
Fern scale
(Pinnaspis aspidistrae)
Fig scale
(Lepidosaphes ficus)
Filbert aphid
(Myzocallis coryli)
Filbert bud mite
(Phytoptus avellanae)
Filbertworm
(Melissopus latiferreanus)
Fiorinia theae (tea scale)
4, 31, 44, 92, 117, 154, 255, 368, 737, 837, 879, 927, 945, 1083
Fire ant
(Solenopsis geminata)
Fir engraver
(Scolytus ventralis)
Flea beetles
185, 279, 280, 308, 343, 364, 385, 409, 410, 436, 442, 457, 462, 463, 478, 483, 484, 485, 503, 510, 538, 624, 649, 676
Fleahoppers
308, 675, 704, 732
Fletcher scale
(Lecanium fletcheri)
Floodwater mosquito
(Aedes sticticus)
Florida carpenter ant
(Camponotus abdominalis floridanus)
Florida red scale
(Chrysomphalus aonidum)
Florida wax scale
(Ceroplastes floridensis)
Flower flies
285, 317, 351
Flower thrips
(Frankliniella tritici)
Forage looper
(Caenurgina erechtea)
Forda olivacea (an aphid)
143, 670
Forest tent caterpillar
(Malacosoma disstria)
Forest tree termite
(Neotermes connexus)
Forficula auricularia (European earwig)
254, 288, 318, 388, 543, 654, 669, 682, 687, 714, 742, 836, 839, 856, 925, 929, 1046, 1048
Formosan subterranean termite
(Coptotermes formosanus)
Four-lined plant bug
(Poecilocapsus lineatus)
Foxglove aphid
(Acyrthosiphon solani)
Frankliniella spp. (thrips)
384, 441, 484, 563, 565, 620

Frankliniella bispinosa
313, 340
Frankliniella fusca (tobacco thrips)
167, 183, 279, 308, 343, 384, 409, 441, 461, 483, 509, 510, 537, 592
Frankliniella occidentalis (western flower thrips) 64, 183, 199, 213, 232, 280, 308, 343, 384, 408, 409, 437, 441, 461, 462, 563, 733, 745, 809, 873, 1044
Frankliniella tenuicornis
141
Frankliniella tritici (flower thrips)
183, 232
Frankliniella vaccinii (blueberry thrips)
235, 543, 572, 629, 682
Frankliniella williamsi
872, 922
Frit fly
(Oscinella frit)
Fruit-tree leaf roller
(Archips argyrospilus)
Fuller rose weevil
(Pantomorus cervinus)
Fuscuropoda agitans (an earthworm mite)
370, 416

G

Galasa nigrinodis (a chrysaugid moth)
1013, 1015
Galleria mellonella (greater wax moth)
270
Garden fleahopper
(Halticus bracteatus)
Garden springtail
(Bourletiella hortensis)
Garden symphylan
(Scutigerella immaculata)
Garden webworm
(Loxostege similalis)
Gasterophilus intestinalis (horse bot fly)
269, 551, 820, 881, 946, 1034
Genaparlatoria pseudaspidiotus (an armored scale) 1083, 1085
Geococcus coffeae (a mealybug)
1033
Geocoris spp.
83, 285, 290, 317, 548, 688, 947, 1046, 1084
Geocoris punctipes (a big-eyed bug)
178, 223, 285, 290, 576, 623, 1046
German cockroach
(Blattella germanica)
Giant African snail
(Achatina fulica)
Giant bark aphid
(Longistigma caryae)
Giant hornet
(Vespa crabro germana)
Gladiolus thrips
(Taeniothrips simplex)
Glassy cutworm
(Crymodes devastator)
Glischrochilus quadrisignatus (a sap beetle) 141, 696, 699
Globose scale
(Lecanium prunastri)
Gloomy scale
(Melanaspis tenebricosa)
Glover scale
(Lepidosaphes gloverii)
Glyphonyx sp. (a wireworm)
813
Glyptoscelis pubescens (a leaf beetle)
223
Glyptotendipes barbipes (a chironomid midge) 687
Gnorimoschema ocellatella (a sugar-beet crown borer) 933
Gobertina picticornis (a stratiomyid fly)
33,34
Golden-eye lacewing
(Chrysopa oculata)
Golden nematode
(Heterodera rostochiensis)
Golden tortoise beetle
(Metriona bicolor)
Gossyparia spuria (European elm scale)
134, 260, 264, 315, 519, 545, 600, 631, 656, 684, 769
Gracillaria azaleella (azalea leaf miner)
133, 176, 837, 879
Gracillaria negundella (boxelder leaf roller) 837
Grain aphids
405, 457
Grain mite
(Acarus siro)
Graminella nigrifrons (a leafhopper)
39, 115, 173, 198, 276, 340, 361
Granary weevil
(Sitophilus granarius)
Granulate cutworm
(Feltia subterranea)
Grape berry moth
(Paralobesia viteana)
Grape cane gall maker
(Ampeloglypter sesostris)
Grape flea beetle
(Altica chalybea)
Grape leaf folder
(Desmia funeralis)
Grape leaf skeletonizer
(Harrisina americana)
Grape mealybug
(Pseudococcus maritimus)
Grape phylloxera
(Phylloxera vitifoliae)
Grape plume moth
(Pterophorus periscelidactylus)
Grape scale
(Aspidiotus uvae)
Grapevine aphid
(Aphis illinoisensis)
Graphognathus spp. (white-fringed beetles)
248, 294, 371, 393, 418, 450, 471, 493, 523, 550, 578, 604, 636, 660, 690, 716, 717, 744, 774, 797, 883, 884, 898, 900, 913, 974, 1036
Graphognathus leucoloma striatus
740, 744
Grapholitha interstinctana (clover head caterpillar) 408, 440
Grapholitha molesta (oriental fruit moth)
227, 228, 281, 311, 346, 366, 387, 412, 444, 465, 486, 514, 541, 569, 596, 625, 652, 707, 735, 791, 815
Grapholitha packardi (cherry fruitworm)
514, 543
Grapholitha prunivora (lesser appleworm)
281, 311, 909
Graphomya maculata (a muscid fly)
119, 120
Grass bugs
146, 147
Grass fleahopper
(Halticus chrysolepis)
Grasshoppers
42, 81, 93, 118, 135, 156, 178, 202, 285, 291, 317, 351, 370, 393, 449, 470, 493, 548, 577, 602, 634, 658-659, 688, 715-716, 743, 772, 795-796, 820-821, 840, 881, 896, 912, 928, 1015, 1035, 1085
Grass thrips
(Anaphothrips obscurus)
Gray garden slug
(Deroceras reticulatum)
Great Basin tent caterpillar
(Malacosoma fragile)
Great Basin wireworm
(Ctenicera pruinina)
Greater wax moth
(Galleria mellonella)
Greedy scale
(Hemiberlesia rapax)
Greenbug
(Schizaphis graminum)
Green cloverworm
(Plathypena scabra)
Green fruitworm
(Lithophane antennata)
Green fruitworms
486
Greenhouse orthezia
(Orthezia insignis)
Greenhouse thrips
(Heliothrips haemorrhoidalis)
Greenhouse whitefly
(Trialeurodes vaporariorum)
Green June beetle
(Cotinis nitida)
Green lacewings
772
Green peach aphid
(Myzus persicae)
Green scale
(Coccus viridis)
Green shield scale
(Pulvinaria psidii)
Green stink bug
(Acrosternum hilare)
Green-striped grasshopper
(Chortophaga viridifasciata)
Green-striped mapleworm
(Anisota rubicunda)
Gretchena bolliana (pecan bud moth)
515
Ground beetles
351, 732
Ground-nut bruchid
(Caryedon serratus)
Gryllus spp. (field crickets)
164, 213, 287, 532, 588, 808, 849, 851, 874, 891, 907
Gulf Coast tick
(Amblyomma maculatum)
Gulf wireworm
(Conoderus amplicollis)
Gymnaspis aechmeae (an armored scale)
31, 1056
Gynaikothrips ficorum (Cuban-laurel thrips) 45, 65, 119, 158, 254, 580
Gypsy moth
(Porthetria dispar)

H

Haematobia irritans (horn fly)
17, 66, 118, 178, 201, 224, 247, 265, 267, 268, 284, 315, 350, 369, 391, 416, 448, 469, 491, 520, 546, 575, 601, 632, 657, 685, 713, 741, 771, 794, 819, 839, 858, 880, 895, 912, 928, 946, 961, 973, 1014, 1026, 1034, 1046, 1057
Haematopinus spp.
1046
Haematopinus eurysternus (short-nosed cattle louse) 5, 61, 93, 118, 134, 177, 202, 224, 270, 284, 350, 1035, 1046, 1084
Haematopinus quadripertusus (cattle tail louse) 66
Haematopinus suis (hog louse)
17, 32, 41, 61, 80, 93, 202, 247, 270, 391, 416, 1046
Hairy chinch bug
(Blissus hirtus)
Halisidota argentata (silver-spotted tiger moth) 415
Halisidota harrisii (sycamore tussock moth) 768, 911
Halisidota ingens
447

Haltichella rhyacioniae (a chalcid wasp) 769
Halticus bracteatus (garden fleahopper) 874
Halticus chrysolepis (grass fleahopper) 774
Hapleginella conicola (a chloropid fly) 154
Haptoncus luteolus (a sap beetle) 466
Harlequin bug (Murgantia histrionica)
Harmolita opuntiae (a jointworm) 340
Harrisina spp. 367
Harrisina americana (grape leaf skeletonizer) 235, 347, 367, 388, 654
Harrisina brillians (western grape leaf skeletonizer) 293, 367, 414, 543, 550, 690, 797, 836, 883, 884, 898, 927, 929
Hawaiian beet webworm (Hymenia recurvalis)
Hawaiian thrips (Thrips hawaiiensis)
Head louse (Pediculus humanus capitis)
Hedylepta accepta (sugarcane leaf roller) 158
Hedylepta blackburni (coconut leaf roller) 34, 63, 65, 82, 96, 226, 318
Helicella spp. (snails) 935
Helicotylenchus platyurus (a nematode) 936
Heliothis spp. 181, 183, 184, 363, 384, 386, 408, 461, 483, 510, 536, 564, 591, 621, 648, 674, 703, 731, 761, 788, 811, 834, 852, 875, 893, 908, 924, 944
Heliothis phloxiphaga 162
Heliothis virescens (tobacco budworm) 15, 123, 166, 167, 181, 183, 275, 303, 359, 379, 384, 404, 408, 441, 461, 477, 483, 489, 502, 536, 558, 564, 586, 591, 592, 614, 621, 648, 667, 674, 697, 703, 731, 761, 788, 811, 830, 834, 852, 889, 893, 908, 924, 941, 944, 985, 1011. Light traps: 34, 81, 94, 120, 136, 157, 203, 225, 297, 319, 353, 372, 394, 420, 451, 474, 495, 525, 526, 552, 553, 581, 606-607, 637-638, 661-662, 691-692, 718-719, 746-747, 775-776, 798-799, 823-824, 843, 861, 885, 901, 916, 931, 950, 964, 975, 989, 1016, 1048, 1059
Heliothis zea (corn earworm) 83, 89, 121, 122, 166, 167, 181, 204, 205, 217, 303, 308, 339, 344, 359, 363, 379, 384, 385, 403, 408, 435, 441, 442, 455, 461, 462, 477, 478, 483, 501, 510, 529, 536, 537, 550, 557, 564, 576, 585, 591, 592, 593, 613, 621, 641, 648, 649, 665, 674, 675, 677, 695, 703, 704, 725, 731, 733, 734, 753, 761, 774, 781, 788, 805, 811, 829, 834, 847, 852, 871, 875, 876, 889, 893, 905, 908, 921, 924, 941, 944, 955, 957, 969, 985, 1011, 1023. Light traps: 6, 34, 43, 63, 81, 94, 120, 157, 180, 203, 225, 252, 297, 319, 353, 372, 394, 420, 451, 474, 495, 525, 526, 552, 553, 581-582, 606-607, 637-638, 661-662, 691-692, 718-719, 746-747, 775-776, 798-799, 823-824, 843, 861, 885, 901, 916, 931, 950, 964, 975, 989, 1016, 1028, 1037, 1059, 1086
Heliothrips haemorrhoidalis (greenhouse thrips) 254, 318, 961
Helix aspersa (brown garden snail) 234, 763, 765
Hellula rogatalis (cabbage webworm) 226, 790, 822, 1028
Hemerobius spp. (lacewings, brown lacewings) 1035
Hemerocampa sp. 368
Hemerocampa leucostigma (white-marked tussock moth) 412, 415, 599, 857
Hemerocampa pseudotsugata (Douglas-fir tussock moth) 257, 684, 946
Hemerocampa vetusta (western tussock moth) 146, 253, 617
Hemiberlesia lataniae (an armored scale) 176, 231, 405, 447, 572, 1014, 1032, 1082
Hemiberlesia rapax (greedy scale) 154, 246, 737, 1034, 1045, 1066
Hemicrepidius carbonatus (a wireworm) 351
Hemicriconemoides squamosus (a nematode) 937
Hemileuca maia (buck moth) 314, 349
Hemileuca nevadensis (a giant silkworm moth) 262
Hemileuca oliviae (range caterpillar) 291, 293, 305, 438, 505, 532, 588, 636, 660, 716, 774, 797, 821, 883, 962
Hemisphaerota cyanea (a leaf beetle) 987
Hemispherical scale (Saissetia coffeae)
Hemitarsonemus latus (broad mite) 180, 631, 660
Hemlock borer (Melanophila fulvoguttata)
Hemlock sawfly (Neodiprion tsugae)
Hemp nettle cyst nematode (Heterodera galeopsidis)
Hendecaneura shawiana (a blueberry tip borer) 446, 488
Herculia intermedialis (a pyralid moth) 133
Hermetia illucens (a soldier fly) 742
Herpetogramma licarsisalis (a grass webworm) 929, 930, 949, 963, 975, 990, 1016, 1028, 1037, 1048, 1069, 1086
Herpetogramma phaeopteralis 146, 975
Hesperotettix spp. (grasshoppers) 521, 602, 659, 688
Hesperotettix viridis 743
Hessian fly (Mayetiola destructor)
Heterobostrychus aequalis (oriental wood borer) 94, 95, 135, 156, 179, 471, 522, 524, 550, 551
Heterocampa guttivitta (saddled prominent) 792
Heterocampa manteo (variable oak leaf caterpillar) 769
Heterodera avenae (oat cyst nematode) 937
Heterodera fici 937
Heterodera galeopsidis (hemp nettle cyst nematode) 937
Heterodera glycines (soybean cyst nematode) 898, 900, 913, 915, 962, 963, 1036, 1085
Heterodera goettingiana 937
Heterodera humuli 937
Heterodera oryzae 937
Heterodera rostochiensis (golden nematode) 937, 1068
Heterostylum robustum (a bee fly) 492, 548
Heterotylenchus autumnalis (a parasitic nematode) 1067
Hickory bark beetle (Scolytus quadrispinosus)
Hickory shuckworm (Laspeyresia caryana)
Hide beetle (Dermestes maculatus)
High Plains grasshopper (Dissosteira longipennis)
Hippelates spp. (eye gnats) 284
Hippodamia spp. 290, 592
Hippodamia convergens (convergent lady beetle) 156, 178, 183, 223, 248, 285, 290, 316, 317, 351, 370, 392, 417, 448, 470, 492, 521, 548, 576, 687, 696, 742, 795, 822, 839, 962, 1011, 1027, 1046, 1084
Hippodamia sinuata 290
Hippodamia tredecimpunctata 733
Hippodamia tredecimpunctata tibialis (thirteen-spotted lady beetle) 705
Hog louse (Haematopinus suis)
Hollyhock weevil (Apion longirostre)
Homadaula albizziae (mimosa webworm) 260, 414, 544, 598, 629, 630, 654, 683, 709, 763, 768, 792, 879, 911, 946
Homaledra sabalella (palm leaf skeletonizer) 768
Homalodisca insolita (a leafhopper) 305
Homoeosoma electellum (sunflower moth) 185, 538, 834
Honey bee (Apis mellifera)
Hop aphid (Phorodon humuli)
Hoplocampa brevis (pear sawfly) 232, 487
Hoplocampa testudinea (European apple sawfly) 232, 466, 487, 515, 542, 570
Horn fly (Haematobia irritans)
Horse bot fly (Gasterophilus intestinalis)
Horse flies 265, 576, 633
House fly (Musca domestica)
Howard scale (Abgrallaspis howardi)
Hulstia undulatella (sugar-beet crown borer) 185
Hyadaphis pseudobrassicae (turnip aphid) 4, 81, 210, 485, 631, 797, 1025, 1044, 1046, 1066
Hyalopterus sp. 820
Hyalopterus pruni (mealy plum aphid) 234, 653
Hybomitra criddlei (a tabanid fly) 771
Hybomitra frontalis 771
Hybomitra lasiophthalma 472
Hydrellia griseola (a leaf miner fly) 144
Hylemya spp. 244, 365
Hylemya antiqua (onion maggot) 211, 213, 345, 411, 464, 513, 540, 568, 595, 625, 877, 958
Hylemya brassicae (cabbage maggot) 30, 210, 309, 386, 411, 463, 485, 512, 540, 567, 594, 624, 764, 790

Hylemya platura (seed-corn maggot)
64, 90, 166, 207, 208, 309, 361, 364, 380, 405, 437, 457, 463, 464, 478, 485, 504, 512, 539, 594, 677
Hylemya seneciella
290
Hylobius pales (pales weevil)
223, 257, 259, 895, 972
Hylurgopinus rufipes (native elm bark beetle) 263, 348, 468, 472, 490, 494, 518, 524, 574, 579, 768
Hylurgops subcostulatus (a bark beetle)
574
Hymenia recurvalis (Hawaiian beet web-worm) 214, 450
Hymenopterous parasites
223, 492
Hypena strigata (a noctuid moth)
34, 96, 119, 158
Hypera spp.
341, 382, 407, 439, 459
Hypera brunneipennis (Egyptian alfalfa weevil) 15, 39, 59, 77, 90, 116, 132, 152, 160, 174, 198, 219, 243, 277, 306, 341, 362, 382, 406, 481
Hypera meles (clover head weevil)
219, 243, 278, 307, 407, 439, 986, 990
Hypera nigrirostris (lesser clover leaf weevil) 161, 307, 341, 382, 407, 507, 534, 561, 589, 700, 729
Hypera postica (alfalfa weevil)
3, 15, 19, 25, 29, 39, 59, 77, 90, 94, 116, 132, 151, 159, 168, 174, 198, 219, 242, 251, 277, 288, 306, 341, 362, 365, 381, 382, 393, 406, 410, 419, 438, 450, 458, 472, 480, 494, 506, 521, 533, 551, 560, 579, 588, 595, 604, 617, 634, 636, 645, 650, 670, 677, 678, 700, 728, 740, 757, 763, 785, 809, 812, 822, 831, 850, 873, 891, 902, 907, 923, 943, 957, 986, 1024, 1031, 1036, 1054, 1066
Hypera punctata (clover leaf weevil)
3, 16, 30, 77, 90, 152, 159, 160, 174, 198, 243, 277, 306, 341, 362, 382, 407, 439, 459, 481, 561, 563, 970, 1031
Hyperaspis signata (a lady beetle)
715, 717
Hyperodes anthracinus (a weevil)
728, 740
Hyperodes humilis
141
Hyphantria cunea (fall webworm)
229, 260, 311, 366, 412, 447, 465, 518, 542, 569, 597, 599, 627, 653, 655, 679, 682, 708, 735, 738, 766, 768, 769, 791, 793, 816, 817, 836, 837, 856, 878, 879, 894, 927, 944, 946, 961, 971, 972, 988, 1014
Hypochlora alba (a grasshopper)
896
Hypoderma spp.
66, 224, 269, 284, 369, 416, 421, 448, 469, 546
Hypoderma bovis (northern cattle grub)
155, 546, 881
Hypoderma lineatum (common cattle grub)
5, 17, 32, 41, 61, 79, 93, 117, 134, 155, 178, 201, 269, 316, 350, 369, 391, 896, 1026, 1034, 1046, 1057, 1084
Hypomolyx piceus (a weevil)
545
Hysteroneura setariae (rusty plum aphid)
254, 345, 626, 890

I

Icerya purchasi (cottony-cushion scale)
4, 17, 65, 78, 233, 255, 299, 388, 914, 1055
Imported cabbageworm
(Pieris rapae)
Imported currantworm
(Nematus ribesii)
Imported fire ant
(Solenopsis saevissima richteri)
Imported willow leaf beetle
(Plagiodera versicolora)
Incisitermes minor (western drywood termite) 288
Indian-meal moth
(Plodia interpunctella)
Introduced pine sawfly
(Diprion similis)
Io moth
(Automeris io)
Ips spp.
44, 177, 256, 257, 348, 573, 684, 739, 818, 837, 894, 895, 972
Ips avulsus
44, 348, 818, 1056
Ips calligraphus
44, 223, 348
Ips confusus (California five-spined ips)
44, 468, 472, 960
Ips grandicollis
136, 348, 818, 895
Ips lecontei
257
Ips pini (pine engraver)
315, 573, 1083
Irbisia spp. (grass bugs)
305, 341, 405, 438, 479, 504, 505, 560, 588
Irbisia brachycera
147
Irbisia californica
276, 305
Irbisia pacifica
147, 504, 560, 579, 588, 617
Irbisia shulli
147, 588
Iridomyrmex humilis (Argentine ant)
199, 288, 345, 709
Ischnaspis longirostris (black thread scale) 1059
Italian pear scale
(Epidiaspis piricola)
Itame ribearia (currant spanworm)
543
Itoplectis conquisitor (an ichneumon wasp)
601
Ixodes cookei (a hard-backed tick)
271
Ixodes dentatus
271
Ixodes marxi
1058
Ixodes scapularis (black-legged tick)
18, 32, 93, 202, 370, 1035, 1046, 1084

J

Jack-pine budworm
(Choristoneura pinus)
Jadera haematoloma (a coreid bug)
200, 631
Jalysus spinosus (a stilt bug)
688
Japanese beetle
(Popillia japonica)
Jeffrey pine beetle
(Dendroctonus ponderosae)
Jonthonota nigripes (black-legged tortoise beetle) 877
Juniper scale
(Diaspis carueli)
Juniper webworm
(Dichomeris marginella)

K

Kalotermes sp. (a drywood termite)
687
Kalotermes approximatus
678
Keiferia lycopersicella (tomato pinworm)
206
Kermes pubescens (an oak kermes scale)
264
Khapra beetle
(Trogoderma granarium)
Kiawe flower looper
(Cosymbia serrulata)
Kou leafworm
(Ethmia colonella)
Kuwania quercus (a margarodid scale)
43

L

Labidura riparia (an earwig)
80, 270
Labops spp. (grass bugs)
341, 405, 438, 479
Labops hesperius
147, 405, 479, 505, 532, 560, 588
Labops utahensis
147
Lace bugs
739
Lacewings
392, 470, 492, 521, 688, 742, 795, 839, 1035
Lachnus salignus (an aphid)
263, 879, 911, 927, 973
Lacinipolia renigera (bristly cutworm)
404, 411
Lady beetles
202, 248, 290, 351, 521, 548, 634, 687, 772, 795, 839, 912, 947, 989, 1027, 1058
Lambdina fiscellaria somniaria (western oak looper) 262
Lampides boeticus (bean butterfly)
64, 345
Languria mozardi (clover stem borer)
219
Lantana hispid
(Uroplata girardi)
Lantana leaf beetle
(Octotoma scabripennis)
Lantana leaf tier
(Syngamia haemorrhoidalis)
Lantana seed fly
(Ophiomyia lantanae)
Larch casebearer
(Coleophora laricella)
Larch sawfly
(Pristiphora erichsonii)
Larder beetle
(Dermestes lardarius)
Larger elm leaf beetle
(Monocesta coryli)
Larger yellow ant
(Acanthomyops interjectus)
Largus cinctus californicus (a largid bug)
235, 890
Largus convivus
767
Lasioderma serricorne (cigarette beetle)
287
Laspeyresia spp. (olethreutid moths)
154
Laspeyresia caryana (hickory shuckworm)
30, 175, 227, 228, 245, 281, 366, 571, 708, 736, 816, 855, 878, 894, 910, 926, 944, 958, 971, 987, 1032, 1055, 1082

Iaspeyresia cupressana
176
Iatrodectus mactans (black widow spider)
66, 247, 271, 714, 858, 947, 1037
Iawn armyworm
(Spodoptera mauritia acronyctoides)
Leaf-footed bug
(Leptoglossus phyllopus)
Leafhoppers
651, 734, 817
Leaf miner flies
258, 678, 789
Lecanium spp. (soft scales)
656
Lecanium canadense
See Lecanium corni
Lecanium cerasorum (calico scale)
200, 368, 489, 681
Lecanium corni (European fruit lecanium)
231, 264, 389, 544, 597, 656
Lecanium fletcheri (Fletcher scale)
255, 545, 574, 629, 656, 684
Lecanium kunoensis
878
Lecanium prunastri (globose scale)
572
Lecanium quercifex (oak lecanium)
284
Leek moth
(Acrolepia assectella)
Lema trilineata (three-lined potato beetle) 63, 65, 450, 631, 660, 745
Leopard moth
(Zeuzera pyrina)
Leperisinus fasciatus (a bark beetle)
262
Lepidosaphes beckii (purple scale)
30, 41, 91, 133, 153, 222, 233, 251, 282, 312, 347, 371, 388, 446, 516, 571, 627, 681, 709, 736, 792, 856, 860, 926, 959, 988, 1013, 1033, 1055
Lepidosaphes ficus (fig scale)
153, 175
Lepidosaphes gloverii (Glover scale)
30, 31, 41, 91, 133, 153, 221, 233, 282, 312, 347, 388, 446, 516, 571, 627, 681, 709, 736, 792, 856, 926, 945, 959, 1013, 1033, 1055
Lepidosaphes maskelli
817, 1056
Lepidosaphes ulmi (oystershell scale)
201, 231, 255, 349, 414, 515, 517, 544, 574, 739, 911, 962
Leptinotarsa decemlineata (Colorado potato beetle) 204, 279, 308, 364, 385, 410, 442, 463, 484, 511, 538, 566, 593, 623, 625, 649, 676, 705, 733, 763, 789, 813, 854
Leptinotarsa juncta (false potato beetle)
309
Leptocoris rubrolineatus (a coreid bug)
177, 264, 854
Leptocoris trivittatus (boxelder bug)
118, 246, 248, 287, 288
Leptoglossus phyllopus (leaf-footed bug)
276, 279, 364, 816
Leptoglossus zonatus (a coreid bug)
915, 945
Leptopterna dolabrata (meadow plant bug)
645
Leptoypha minor (a lace bug)
264
Leptus sp. (a predaceous erythraeid mite)
858
Lespesia archippivora (a tachina fly)
180, 1048
Lesser appleworm
(Grapholitha prunivora)
Lesser clover leaf weevil
(Hypera nigrirostris)
Lesser cornstalk borer
(Elasmopalpus lignosellus)
Lesser grain borer
(Rhyzopertha dominica)
Lesser mealworm
(Alphitobius diaperinus)
Lesser peach tree borer
(Synanthedon pictipes)
Lettuce root aphid
(Pemphigus bursarius)
Leucinodes orbonalis (eggplant fruit borer) 933
Leucopis sp. (a chamaemyiid fly)
1068
Light-brown apple moth
(Epiphyas postvittana)
Lilac borer
(Podosesia syringae syringae)
Lima-bean pod borer
(Etiella zinckenella)
Limax flavus (tawny garden slug)
854, 859
Limax maximus (spotted garden slug)
64, 226, 450, 523
Limenitis archippus (viceroy)
710
Limonius spp.
204, 205
Limonius agonus (eastern field wireworm)
503
Limonius californicus (sugar-beet wireworm) 185, 305, 511, 532
Limonius canus (Pacific Coast wireworm)
511
Limothrips denticornis (barley thrips)
143, 145, 560, 587, 616, 644, 670
Lindorus lophanthae (a lady beetle)
285
Lined click beetle
(Agriotes lineatus)
Lineodes integra (a pyraustid moth)
962
Linognathus africanus (a goat sucking louse) 448, 450
Linognathus setosus
(dog sucking louse)
Linognathus vituli (long-nosed cattle louse) 41, 61, 80, 224, 270, 1035, 1084
Liosomaphis berberidis (an aphid)
489
Lipoptena mazamae (a louse fly)
178, 179
Liriomyza spp. (leaf miner flies)
64, 213, 226, 344, 345, 364, 371, 385, 450, 524, 550, 551, 580, 605, 631, 660, 690, 745, 797, 884, 899, 914, 949, 963, 1028, 1037, 1059
Liriomyza brassicae (serpentine leaf miner) 463
Liriomyza bryoniae (pea leaf miner)
92, 440
Liriomyza pictella
944
Liriomyza pusilla
207
Liriomyza trifolii
876, 1066
Lissorhoptrus oryzophilus (rice water weevil) 144, 504
Listroderes costirostris obliquus (vegetable weevil) 40, 90, 184, 212, 308, 309, 344, 362, 364, 365, 484, 566, 567
Listronotus oregonensis (carrot weevil)
734
Litchi fruit moth
(Cryptophlebia ombrodelta)
Lithocolletis arbutusella (a leaf blotch miner) 223
Lithocolletis tremuloidiella (aspen blotch miner) 262
Lithophane antennata (green fruitworm)
200, 444, 447, 486, 541
Lithophane unimoda (a noctuid moth)
281
Litoprosopus futilis (a noctuid moth)
771
Little house fly
(Fannia canicularis)
Lixus concavus (rhubarb curculio)
411
Lobiopa insularis (a sap beetle)
466
Locust borer
(Megacyllene robiniae)
Locust leaf miner
(Xenochalepus dorsalis)
Lodgepole needle miner
(Coleotechnites milleri)
Lonchaea sp. (a lonchaeid fly)
987
Lone star tick
(Amblyomma americanum)
Longistigma caryae (giant bark aphid)
30, 61, 79, 246, 627, 927, 973, 1046, 1067
Longitarsus waterhousei (a mint flea beetle) 186, 622
Long-legged ant
(Anoplolepis longipes)
Long-nosed cattle louse
(Linognathus vituli)
Long-tailed mealybug
(Pseudococcus adonidum)
Loopers
30, 258
Loxagrotis albicosta (western bean cutworm) 139, 207, 208, 698, 727, 755, 783, 807, 830, 849, 906, 941
Loxosceles reclusa (brown recluse spider)
6, 271, 315, 392, 393, 491, 928, 1026, 1067, 1068, 1084
Loxosceles unicolor (a scytodid spider)
1067
Loxostege spp.
166, 646, 671, 673, 759, 786
Loxostege commixtalis (alfalfa webworm)
162, 166, 436, 646. Light traps: 581, 606, 661, 691, 746, 861
Loxostege similalis (garden webworm)
162, 164, 166, 308, 343, 363, 474, 590, 646, 786. Light traps: 581, 606, 661, 691, 746, 861, 931, 950, 964
Loxostege sticticalis (beet webworm)
184, 462, 511, 565, 593, 622, 649, 675, 704, 733, 762, 812, 853. Light traps: 552, 581, 606, 637, 661, 691-692, 718, 746, 775, 798, 861
Lubber grasshopper
(Brachystola magna)
Lyctus spp. (powder-post beetles)
287
Lyctus africanus
316
Lydella sp. (a tachina fly)
29
Lygidea mendax (apple red bug)
488
Lygus spp. (lygus bugs)
152, 163, 175, 182, 185, 186, 199, 206, 213, 220, 244, 278, 307, 342, 343, 363, 364, 387, 407, 409, 442, 460, 462, 482, 483, 508, 510, 511, 535, 537, 562, 589, 592, 619, 621, 646, 648, 672, 675, 677, 701, 704, 729, 732, 758, 762, 785, 788, 809, 812, 832, 834, 851, 852, 874, 876, 891, 924, 942, 957, 971, 986, 1012, 1032, 1044, 1054, 1066, 1082
Lygus elisus
163, 199, 220, 342, 482, 619, 785
Lygus hesperus
163, 785
Lygus lineolaris (tarnished plant bug)
163, 174, 182, 186, 206, 232, 244, 278, 281, 307, 342, 363, 383, 407, 440, 437, 458, 460, 466, 482, 508 510, 517, 534, 537, 562, 565, 589, 592, 619, 621, 646, 648, 649, 669, 672, 675, 677, 701, 707, 709, 729,

732, 736, 758, 762, 764, 785, 809, 832, 851, 891, 924, 942, 957, 970, 1024
Lysiphlebus testaceipes (a braconid) 275, 289, 1081

M

Macrobotys thestealis (a pyrautstid moth) 856
Macrodactylus subspinosus (rose chafer) 253, 254, 366, 387, 413, 561, 596, 598, 616, 626, 628, 629, 630, 644, 652, 682, 856
Macropsis fumipennis (a leafhopper) 717
Macropsis gleditschiae 631
Macrosiphoniella sanborni (chrysanthemum aphid) 92, 154, 200, 254, 1014, 1025
Macrosiphum avenae (English grain aphid) 3, 15, 39, 59, 77, 89, 115, 124, 132, 143, 151, 198, 242, 276, 286, 305, 340, 341, 361, 380, 405, 437, 457, 477, 479, 504, 532, 587, 613, 616, 641, 644, 670, 699, 728, 956, 1043, 1053
Macrosiphum creelii 174
Macrosiphum euphorbiae (potato aphid) 152, 206, 211, 214, 220, 246, 254, 279, 282, 310, 389, 442, 463, 467, 479, 485, 512, 538, 539, 566, 623, 650, 676, 705, 733, 763, 789, 813, 835
Macrosiphum rosae (rose aphid) 133, 200, 222, 226, 246, 282, 313, 348, 1082
Macrosteles fascifrons (aster leafhopper) 39, 121, 157, 173, 197, 241, 275, 303, 339, 359, 379, 403, 435, 456, 477, 502, 530, 558, 585, 614, 642, 665, 695, 725, 753, 781, 829, 871, 941, 1023
Macrovelia hornii (a macroveliid bug) 448
Magicicada septendecim (periodical cicada) 597, 623
Magnolia scale
(Neolecanium cornuparvum)
Maize billbug
(Sphenophorus maidis)
Maize stalk borer
(Busseola fusca)
Malacosoma spp. 246, 444, 489, 551, 573
Malacosoma americanum (eastern tent caterpillar) 92, 155, 177, 201, 222, 229, 246, 260, 283, 314, 349, 368, 387, 389, 390, 412, 467, 489, 517, 544, 569, 573
Malacosoma disstria (forest tent caterpillar) 5, 134, 155, 222, 246, 258, 260, 261, 314, 349, 467, 489, 517, 544, 573, 599, 629, 683, 1034
Malacosoma fragile (Great Basin tent caterpillar) 261, 314, 349, 390, 467, 489,617
Malacosoma incurvum discoloratum 261, 314
Malacosoma lutescens (prairie tent caterpillar) 623
Malacosoma pluviale (western tent caterpillar) 415, 517, 596, 599, 623
Maladera castanea (Asiatic garden beetle) 254, 652, 707
Manduca spp. (hornworms) 121, 123, 289, 558, 586, 754
Manduca quinquemaculata (tomato hornworm) 123, 642, 667, 733, 754, 782, 830, 885. Light traps: 319, 353, 372, 451, 474, 526, 552, 581, 606-607, 637-638, 661-662, 691-692, 718, 746, 775-776, 798, 823-824, 843, 861, 901, 931, 1048
Manduca sexta (tobacco hornworm) 123, 303, 404, 530, 558, 586, 688, 782, 848, 929. Light traps: 34, 203, 353, 372, 394, 420, 451, 474, 495, 525, 552, 581-582, 606-607, 637, 661-662, 691-692, 718, 746-747, 775-776, 798, 823-824, 843, 861, 885, 901, 916, 931, 964
Mansonia spp. (mosquitoes) 741, 880
Mansonia perturbans 265, 266, 284, 315, 350, 369, 391, 416, 520, 575, 632, 657, 685, 713, 741, 770, 794, 819
Maple bladder-gall mite
(Vasates quadripedes)
Marasmia trapezalis (a pyraustid moth) 140
Margarodes meridionalis (a ground pearl) 242, 700
Marseulia dilativentris (a leaf beetle) 237
Maruca testulalis (bean pod borer) 64, 494, 884, 914
Mastopoda pteridis (an aphid) 856, 860
Matsucoccus sp. (a margarodid scale) 79
Matsucoccus paucicicatrices 284
Matsumuraeses phaseoli (an olethreutid moth) 934
May beetles 281
Mayetiola destructor (Hessian fly) 143, 144, 381, 405, 437, 458, 479, 587, 644, 699, 728, 808, 872, 1023, 1043
Meadow plant bug
(Leptopterna dolabrata)
Meadow spittlebug
(Philaenus spumarius)
Mealybugs 4, 133, 222, 312, 347, 446, 516, 572, 628, 681, 709, 737, 792
Mealy plum aphid
(Hyalopterus pruni)
Mediterranean flour moth
(Anagasta kuehniella)
Mediterranean fruit fly
(Ceratitis capitata)
Megachile rotundata (a leafcutting bee) 270, 289, 548, 577, 715
Megacyllene robiniae (locust borer) 837
Megalopyge opercularis (puss caterpillar) 270
Megastigmus pistaciae (a seed chalcid) 1016
Melalgus confertus (a false powder-post beetle) 230, 487, 570, 629
Melanagromyza viridis (a leaf miner fly) 134
Melanaspis bromiliae (an armored scale) 63
Melanaspis obscura (obscure scale) 264, 958
Melanaspis tenebricosa (gloomy scale) 200, 203
Melanophila fulvoguttata (hemlock borer) 349
Melanoplus spp. 285, 292, 470, 521, 577, 635, 689, 716, 743, 772-773, 796, 882, 896
Melanoplus bivittatus (two-striped grasshopper) 317, 351, 393, 418, 449, 470, 493, 521, 522, 548, 549, 577, 602, 634, 635, 658, 659, 688, 715, 716, 743, 772-773, 795-796, 820-821, 840, 881, 896, 912, 928
Melanoplus confusus 470, 493, 602, 659
Melanoplus devastator (devastating grasshopper) 795
Melanoplus differentialis (differential grasshopper) 292, 351, 493, 521, 548, 549, 602, 634, 635, 659, 688, 715, 716, 743, 772-773, 796, 820-821, 840, 882, 896, 912, 928, 1035, 1047
Melanoplus femurrubrum (red-legged grasshopper) 351, 470, 493, 548, 549, 577, 602, 635, 659, 688, 715, 716, 743, 772-773, 796, 820-821, 840, 859, 882, 896, 912, 928
Melanoplus indigens 715
Melanoplus lakinus 840
Melanoplus occidentalis 418, 659, 688, 882
Melanoplus packardii (Packard grasshopper) 351, 449, 493, 522, 577, 602, 659, 688, 772-773, 795, 796, 820, 882
Melanoplus sanguinipes (migratory grasshopper) 351, 493, 521, 522, 549, 577, 602, 634, 658, 659, 688, 715, 716, 743, 772-773, 795, 796, 820-821, 840, 881, 882, 896, 928, 948
Melanoplus sanguinipes defectus 840
Melanotus sp. (a wireworm) 985
Melanotus communis 141, 211, 212
Melastoma borer
(Selca brunella)
Meligethes nigrescens (a sap beetle) 208
Melissopus latiferreanus (filbertworm) 228, 854, 945
Melittia cucurbitae (squash vine borer) 210, 211, 443, 594
Meloidogyne arenaria 937
Meloidogyne hapla (northern rootknot nematode) 937
Meloidogyne incognita acrita 937
Meloidogyne incognita incognita 937
Meloidogyne javanica javanica 937
Melolontha melolontha (common cockchafer) 608, 934
Melon aphid
(Aphis gossypii)
Melon fly
(Dacus curcubitae)
Melon weevil
(Baris granulipennis)
Melonworm
(Diaphania hyalinata)
Melophagus ovinus (sheep ked) 66, 178, 350, 491
Menacanthus stramineus (chicken body louse) 247
Menopon gallinae (shaft louse) 61
Mermiria maculipennis (a grasshopper) 602
Merodon equestris (narcissus bulb fly) 255
Meromyza americana (wheat stem maggot) 144, 405, 437, 458, 757
Messa populi (a sawfly) 415
Metasyrphus americanus (a flower fly) 351
Metator pardalinus (a grasshopper) 548, 635, 659, 882
Metcalfa pruinosa (a flatid planthopper) 286
Metriona bicolor (golden tortoise beetle) 212, 790
Mexican bean beetle
(Epilachna varivestis)
Mexican fruit fly
(Anastrepha ludens)

Mexican leaf roller
(Amorbia emigratella)
Mexican mealybug
(Phenacoccus gossypii)
Miccotrogus picirostris (clover seed weevil) 460, 534, 645, 1012, 1015
Microcentrum retinerve (angular-winged katydid) 414
Microceromasia sphenophori (a tachina fly) 119
Microlarinus lareynii (a puncture-vine seed weevil) 290, 548
Microlarinus lypriformis (puncture-vine stem weevil) 66, 214, 290, 975, 1016
Micromyzus formosanus (an onion aphid) 40
Microtheca ochroloma (yellow-margined leaf beetle) 209, 210, 410
Microweisea spp. (lady beetles) 370, 448
Migratory grasshopper
(Melanoplus sanguinipes)
Millipeds
288, 925, 927
Mimosa webworm
(Homadaula albizziae)
Mindarus abietinus (balsam twig aphid) 263, 518
Mindarus podocarpi (an aphid) 187
Minthea reticulata (a powder-post beetle) 156
Mites
253, 254, 314
Mocis sp. (a grassworm) 1081
Mocis latipes 146
Mole crickets
210
Monacha olivieri (a snail) 935
Monacha syriaca 935
Monarch butterfly
(Danaus plexippus)
Monarthropalpus buxi (boxwood leaf miner) 92, 176, 246, 389
Monarthrum dentiger (a bark beetle) 653
Monellia spp.
366, 445, 571, 736, 926, 944, 958
Monellia costalis (black-margined aphid 230, 445, 542, 571, 708, 958, 1025
Monellia nigropunctata 958
Monilothrips kempi (a thrips) 910
Monkeypod roundheaded borer
(Xystrocera globosa)
Monocesta coryli (larger elm leaf beetle) 738
Monoctenus melliceps (a conifer sawfly) 682
Monodontomerus obscurus (a torymid wasp) 548
Montandoniola moraguesi (an anthocorid bug) 45, 119, 158, 580
Mormon cricket
(Anabrus simplex)
Morning-glory leaf miner
(Bedellia somnulentella)
Mosquitoes
5, 118, 134, 177, 224, 265, 284, 315, 350, 369, 391, 448, 468, 491, 520, 546, 575, 600, 632, 657, 685, 713, 741, 770, 794, 819, 838, 880, 895, 911, 928, 946, 961, 973, 1014, 1034, 1057, 1083
Mottled tortoise beetle
(Deloyala guttata)
Mountain-ash sawfly
(Pristiphora geniculata)
Mountain pine beetle
(Dendroctonus ponderosae)
Mourning-cloak butterfly
(Nymphalis antiopa)
Mozena obtusa (a coreid bug) 254
Mulberry whitefly
(Tetraleurodes mori)
Murgantia histrionica (harlequin bug) 210, 309, 345, 623, 814
Musca autumnalis (face fly)
265, 267, 310, 316, 369, 391, 416, 419, 448, 469, 472, 547, 575, 601, 604, 633, 636, 657, 678, 686, 713, 717, 740, 741, 763, 770, 794, 812, 819, 838, 857, 881, 886, 895, 912, 915, 928, 946, 961, 973, 1067
Musca domestica (house fly)
5, 32, 247, 267, 316, 350, 369, 391, 520, 547, 576, 633, 658, 686, 714, 742, 770, 819, 881, 1084
Mycodiplosis alternata (dogwood club-gall midge) 117
Myzocallis arundinariae
78, 133
Myzocallis caryaefoliae (black pecan aphid) 4, 227, 228, 245, 627, 736, 767, 791, 816, 855, 926
Myzocallis coryli (filbert aphid) 230
Myzocallis kahawaluokalani (crapemyrtle aphid) 879
Myzocallis ulmifolii (elm leaf aphid) 489, 684, 739
Myzus ascalonicus (shallot aphid) 488
Myzus cerasi (black cherry aphid) 413, 487, 542, 680
Myzus hemerocallis (an aphid) 282
Myzus persicae (green peach aphid)
3, 16, 30, 59, 60, 78, 90, 92, 96, 116, 133, 143, 152, 174, 175, 183, 184, 185, 199, 204, 206, 210, 211, 213, 221, 230, 244, 245, 279, 280, 307, 309, 310, 311, 313, 346, 365, 387, 389, 409, 442, 443, 445, 450, 462, 465, 472, 484, 487, 510, 512, 514, 534, 538, 539, 540, 542, 566, 567, 568, 580, 593, 622, 623, 650, 675, 676, 704, 705, 706, 733, 762, 763, 764, 789, 797, 812, 813, 835, 853, 884, 944, 1044, 1054, 1059, 1086

N

Nabis spp. (damsel bugs)
81, 83, 156, 178, 223, 285, 290, 317, 351, 417, 449, 492, 548, 576, 601, 688, 742, 772, 795, 839, 947, 962, 1015, 1027
Nabis alternatus
592
Nabis ferus
470, 1011, 1015, 1084
Nacerdes melanura (wharf borer) 287
Nalepella tsugifoliae (an eriophyid mite) 519, 988
Nantucket pine tip moth
(Rhyacionia frustrana)
Narcissus bulb fly
(Merodon equestris)
Native elm bark beetle
(Hylurgopinus rufipes)
Native holly leaf miner
(Phytomyza ilicicola)
Navel orangeworm
(Paramyelois transitella)
Nearctaphis bakeri (clover aphid) 383, 407, 508, 729
Negro bug
(Corimelaena pulicaria)
Neivamyrmex opacithorax (an ant) 351
Nematus ribesii (imported currantworm) 543
Nematus ventralis (willow sawfly) 574, 600
Nemobius fasciatus (a cricket) 147
Nemocestes puncticollis (a weevil) 235
Nemognatha lurida (a blister beetle) 715
Neoborus amoenus (ash plant bug) 264, 519, 656, 710
Neoborus pacificus
630, 769
Neochrysops globosus (a deer fly) 636
Neoclytus acuminatus (red-headed ash borer) 283, 735
Neoclytus caprea (a long-horned beetle) 177, 179, 314
Neoclytus conjunctus
223, 316
Neodiprion spp. (conifer sawflies) 415, 468, 1057
Neodiprion lecontei (red-headed pine sawfly) 468, 712, 740, 769, 818, 838, 857, 880, 972, 1057
Neodiprion pinetum (white-pine sawfly) 740, 1057
Neodiprion pratti pratti
415, 468
Neodiprion sertifer (European pine sawfly) 315, 349, 369, 390, 415, 447, 468, 519, 574
Neodiprion taedae linearis
223, 315
Neodiprion tsugae (hemlock sawfly) 256
Neodiprion virginiana
599
Neodusmetia sangwani (an encyrtid wasp) 242
Neolecanium cornuparvum (magnolia scale) 817, 818, 879
Neophyllaphis spp. (aphids) 187, 188, 189, 193
Neophyllaphis araucariae
65, 187, 188, 189, 190, 192, 193, 194, 368
Neophyllaphis gingerensis
187, 188, 189, 190, 191, 192
Neophyllaphis grobleri
187, 188, 189, 191, 192
Neophyllaphis michelbacheri
188, 189, 190, 191, 192
Neophyllaphis podocarpi
187, 189, 190, 191, 193, 489
Neophyllaphis totarae
187, 188, 189, 190, 191, 192
Neotermes connexus (forest tree termite) 395
Neotrombicula dinehartae* (a chigger mite) 1035
Neotropical corn borer
(Zeadiatraea lineolata)
Nephelodes emmedonius (bronzed cutworm) 139
Nepticula slingerlandella (a cherry leaf miner) 229, 465, 514
Nepytia semiclusaria (a geometrid moth) 390
New Guinea sugarcane weevil
(Rhabdoscelus obscurus)
Nezara viridula (southern green stink bug) 45, 63, 64, 65, 96, 119, 158, 164, 166, 199, 226, 251, 276, 340,

*Carried in Vol. 17 as Neotrombicula cavicola

345, 450, 473, 580, 631, 712, 748, 760, 764, 822, 860, 892, 908, 930, 949, 1048, 1054, 1059, 1086
Nomia melanderi (alkali bee)
282, 492, 548, 577, 858
Northern cattle grub (Hypoderma bovis)
155
Northern corn rootworm
(Diabrotica longicornis)
Northern fowl mite
(Ornithonyssus sylviarum)
Northern masked chafer
(Cyclocephala borealis)
Northern pine weevil
(Pissodes approximatus)
Norway-maple aphid
(Periphyllus lyropictus)
Notolomus basalis (a weevil)
91
Nuculaspis pini* (black pine-leaf scale)
655, 685, 711
Nygmia phaeorrhoea (brown-tail moth)
293, 492, 577, 689
Nymphalis antiopa (mourning-cloak butterfly) 262, 314, 390, 599, 630, 683, 894
Nysius spp.
65, 144, 304, 807, 831, 1016
Nysius ericae (false chinch bug)
163, 206, 210

O

Oak lace bug
(Corythucha arcuata)
Oak lecanium
(Lecanium quercifex)
Oat cyst nematode
(Heterodera avenae)
Oberea affinis (a cerambycid beetle)
878, 884
Oberea bimaculata (raspberry cane borer)
543, 654, 682
Oblique-banded leaf roller
(Choristoneura rosaceana)
Obscure scale
(Melanaspis obscura)
Octotoma scabripennis (lantana leaf beetle) 949, 1048
Odonaspis penicillata (an armored scale)
92
Odonaspis ruthae
645, 670, 873, 907, 923
Odonata
316
Odontopus calceatus (a leaf-mining weevil)
263, 368, 518, 630, 656, 683, 737, 817
Odorous house ant
(Tapinoma sessile)
Oebalus pugnax (rice stink bug)
144, 340
Oedaleonotus enigma (a grasshopper)
521, 634, 688, 743, 772
Oegoconia quadripuncta (a gelechiid moth)
393
Oidaematophorus monodactylus (a plume moth) 179
Okanagana spp. (cicadas)
617, 645
Oleander scale
(Aspidiotus nerii)
Oligonychus spp. (spider mites)
416
Oligonychus bicolor
739, 857
Oligonychus ilicis (southern red mite)
61, 92
Oligonychus milleri
575, 579

*Carried in Vol. 17 as Nuculaspis californica

Oligonychus platani
246
Oligonychus pratensis (Banks grass mite)
148, 242, 277, 306, 438, 1023
Oligonychus stickneyi
148, 437, 949
Oligonychus subnudus
246, 416
Oligonychus ununguis (spruce spider mite)
246, 255, 283, 416, 490, 519, 712
Olive fruit fly
(Dacus oleae)
Olive scale
(Parlatoria oleae)
Olla abdominalis (a lady beetle)
370, 1084
Omnivorous leaf tier
(Cnephasia longana)
Omnivorous looper
(Sabulodes caberata)
Omphisa anastomosalis (sweetpotato vine borer) 63, 371, 860
Oncideres cingulata (twig girdler)
44, 263, 524, 944, 958, 972, 987, 1014, 1025, 1055
Oncometopia nigricans (a leafhopper)
836
Oncometopia orbona*
734, 739
Onion maggot
(Hylemya antiqua)
Onion thrips
(Thrips tabaci)
Oniticellus militaris (a scarab)
66
Onthophagus catta (a dung beetle)
884, 1048
Ooencyrtus kuwanai (an encyrtid wasp)
471, 973
Operophtera occidentalis (a geometrid moth) 229
Ophiomyia lantanae (lantana seed fly)
523, 975
Opius sp. (a braconid)
860
Opius fletcheri
1059
Opius oophilus
690, 797, 860, 1059
Opius tryoni
1059
Orange-dog
(Papilio cresphontes)
Orange-striped oakworm
(Anisota senatoria)
Orange tortrix
(Argyrotaenia citrana)
Orchard mites
466, 627, 680
Orchidophilus spp. (orchid weevils)
34, 65
Orcus chalybeus (steel-blue lady beetle)
450
Oriental beetle
(Anomala orientalis)
Oriental cockroach
(Blatta orientalis)
Oriental fruit fly
(Dacus dorsalis)
Oriental fruit moth
(Grapholitha molesta)
Oriental hornet
(Vespa orientalis)
Oriental wood borer
(Heterobostrychus aequalis)
Orius spp. (flower bugs)
178, 290, 417, 576, 634, 688, 839, 1027
Orius insidiosus
81, 285, 290, 392, 470, 492, 576, 601, 688, 696, 715, 852, 858

*Carried in Vol. 17 as Oncometopia undata

Orius tristicolor
592, 881
Ornithocoris pallidus (a cimicid bug)
469
Ornithonyssus bacoti (tropical rat mite)
156, 271
Ornithonyssus sylviarum (northern fowl mite) 5, 134, 178, 202, 247, 271, 469, 491, 1026, 1046, 1067
Orthezia insignis (greenhouse orthezia)
31, 544
Orthopodomyia signifera (a mosquito)
1057
Orthotylus iolani (a plant bug)
65
Oryzaephilus surinamensis (saw-toothed grain beetle) 81, 288, 881
Oscinella frit (frit fly)
532
Ostrinia nubilalis (European corn borer)
29, 46, 50, 137, 173, 182, 198, 204, 206, 212, 241, 276, 339, 352, 360, 380, 404, 419, 436, 442, 452, 455, 456, 477, 502, 512, 530, 558, 565, 593, 614, 642, 667, 676, 697, 699, 705, 715, 721-722, 726, 733, 755, 762, 763, 782, 789, 795, 806, 813, 830, 835, 848, 853, 872, 876, 889, 905, 921, 941, 955, 969, 985, 1011, 1023, 1031, 1053. Light traps: 394, 420, 451, 474, 495, 525, 526, 552, 553, 581-582, 606-607, 637-638, 661-662, 691-692, 718-719, 746-747, 775-776, 798-799, 823-824, 843; 861, 885, 901, 916, 931, 950
Otobius megnini (ear tick)
134, 156, 491, 1035, 1067
Oulema melanopus (cereal leaf beetle)
250, 291, 294, 317, 352, 370, 375, 392, 449, 471, 493, 524, 549, 551, 578, 579, 602, 635, 650, 659, 716, 720, 743, 947, 1017
Ovatus crataegarius (a mint aphid)
186, 551
Oxidus gracilis (a milliped)
313, 873
Oxycarenus annulipes (a lygaeid bug)
934
Oystershell scale
(Lepidosaphes ulmi)

P

Pachysphinx modesta (a sphingid moth)
818
Pachyzancla phaeopteralis
See Herpetogramma phaeopteralis
Pacific beetle cockroach
(Diploptera punctata)
Pacific Coast tick
(Dermacentor occidentalis)
Pacific Coast wireworm
(Limonius canus)
Pacific dampwood termite
(Zootermopsis angusticollis)
Pacific flatheaded borer
(Chrysobothris mali)
Pacific spider mite
(Tetranychus pacificus)
Packard grasshopper
(Melanoplus packardii)
Painted lady
(Vanessa cardui)
Painted maple aphid
(Drepanaphis acerifoliae)
Paleacrita vernata (spring cankerworm)
260, 283, 311, 489, 518
Pale-striped flea beetle
(Systena blanda)
Pales weevil
(Hylobius pales)
Pale western cutworm
(Agrotis orthogonia)

Palm leaf skeletonizer
(Homaledra sabalella)
Pangaeus bilineatus (a burrowing stink bug) 167, 286, 384, 509, 591, 702
Panonychus citri (citrus red mite)
30, 31, 40, 41, 60, 78, 91, 116, 132, 153, 221, 233, 234, 281, 312, 347, 388, 413, 419, 446, 488, 516, 571, 627, 628, 681, 708, 736, 792, 855, 878, 910, 926, 959, 1013, 1025, 1033, 1045, 1055
Panonychus ulmi (European red mite)
221, 227, 232, 234, 236, 280, 312, 346, 367, 388, 413, 445, 452, 466, 470, 488, 515, 542, 570, 597, 626, 653, 680, 708, 736, 766, 791, 816, 836, 855, 878
Pantomorus cervinus (Fuller rose weevil)
66, 254, 446, 654, 703, 914, 960, 972, 1069
Pantomorus taeniatulus
344
Papaipema nebris (stalk borer)
139, 205, 212, 253, 479, 480, 559, 560, 565, 587, 598, 615, 643, 673, 733
Papilio cresphontes (orange-dog)
1033
Papilio polyxenes asterius (black swallowtail, parsleyworm) 568
Papilio rutulus (a swallowtail butterfly)
625
Paracalacarus podocarpi (an eriophyid mite) 44, 61, 154
Paralauterborniella subcincta (a chironomid midge) 601
Paralobesia viteana (grape berry moth)
228, 709
Paramyelois transitella (navel orangeworm) 234
Paratrechina longicornis (crazy ant)
1084, 1085
Paratrioza cockerelli (potato psyllid)
127, 197, 241, 275, 304, 339, 359, 360 map, 403, 456, 502, 558, 613, 667, 696
Parlatoria oleae (olive scale)
61, 200, 231, 255, 1056
Parlatoria pergandii (chaff scale)
31, 41, 91, 133, 153, 222, 233, 282, 312, 347, 388, 446, 516, 571, 628, 681, 709, 736, 792, 856, 926, 959, 1013, 1033, 1055
Parlatoria zizyphus (black parlatoria scale) 660
Parsleyworm
(Papilio polyxenes asterius)
Pavement ant
(Tetramorium caespitum)
Pea aphid
(Acyrthosiphon pisum)
Peach fruit moth
(Carposina niponensis)
Peach silver mite
(Aculus cornutus)
Peach tree borer
(Sanninoidea exitiosa)
Peach twig borer
(Anarsia lineatella)
Pea leaf miner
(Liriomyza bryoniae)
Pea leaf weevil
(Sitona lineata)
Pealius azaleae (azalea whitefly)
254, 837
Pealius kelloggi
348, 1045
Pear leaf blister mite
(Eriophyes pyri)
Pear psylla
(Psylla pyricola)
Pear rust mite
(Epitrimerus pyri)
Pear sawfly
(Hoplocampa brevis)
Pear-slug
(Caliroa cerasi)
Pea weevil
(Bruchus pisorum)
Pecan bud moth
(Gretchena bolliana)
Pecan leaf casebearer
(Acrobasis juglandis)
Pecan leaf phylloxera
(Phylloxera notabilis)
Pecan leafroll mite
(Aceria caryae)
Pecan nut casebearer
(Acrobasis caryae)
Pecan phylloxera
(Phylloxera devastatrix)
Pecan spittlebug
(Clastoptera achatina)
Pecan weevil
(Curculio caryae)
Pectinophora gossypiella (pink bollworm)*
18, 42, 62, 94, 118, 135, 225, 248, 285, 291, 293, 317, 352, 371, 418, 449, 493, 522, 550, 578, 603, 636, 660, 675, 690, 716, 744, 796, 821, 841, 859, 882, 897, 912, 929*, 948, 962, 974, 989, 1015, 1027, 1036, 1047, 1058, 1068
Pediculus humanus capitis (head louse)
284
Pegomya spp. (leaf miner flies)
185
Pegomya betae (beet leaf miner)
622, 676
Pegomya hyoscyami (spinach leaf miner)
213, 411, 484, 579, 595, 734, 762, 834
Pelidnota punctata (a scarab)
709
Pemphigus sp.
684
Pemphigus bursarius (lettuce root aphid)
213
Pemphigus populiramulorum (poplar twig gall aphid) 545, 684
Pemphigus populitransversus (poplar petiole gall aphid) 60, 221, 927, 1025
Pemphigus populivenae (sugar-beet root aphid) 893
Pentalonia nigronervosa (an aphid)
945, 949
Pentamerismus taxi (a false spider mite)
1033
Penthaleus major (winter grain mite)
15, 29, 39, 59, 89, 115, 132, 143, 145, 151, 173, 198, 340, 438, 1043, 1053, 1065, 1081
Pepper weevil
(Anthonomus eugenii)
Peregrinus maidis (corn planthopper)
930, 990, 1081
Peridroma saucia (variegated cutworm)
139, 145, 159, 161, 183, 186, 206, 212, 219, 243, 278, 363, 384, 440, 442, 484, 507, 589, 645, 671, 701, 704, 765, 835, 849, 853, 856, 958, 1024. Light traps: 6, 18, 34, 63, 81, 94, 120, 136, 180, 203, 252, 297, 319, 353, 372, 394, 420, 451, 474, 495, 525, 526, 552, 553, 581-582, 606-608, 637-638, 661-662, 691-692, 718-719, 746-747, 775-776, 798-799, 823-824, 843, 861, 885, 901, 916, 931, 950, 964, 975, 989, 1016, 1028, 1037, 1048, 1059
Periodical cicada
(Magicicada septendecim)
Periphyllus lyropictus (Norway-maple aphid) 684, 911
Periphyllus negundinis (boxelder aphid)
415
Periplaneta americana (American cockroach)
116
Periplaneta fuliginosa (smoky-brown cockroach) 287

* 1st catch Kern Co., north of mountains.

Periploca ceanothiella (a walshiid moth)
1033
Periploca nigra
467
Peritelinus oregonus (a weevil)
235
Perkinsiella saccharicida (sugarcane leafhopper) 494, 712, 1039
Persimmon psylla
(Trioza diospyri)
Petrobia latens (brown wheat mite)
77, 89, 115, 131, 143, 145, 151, 173, 198, 213, 219, 242, 276, 304, 308, 361, 381, 384, 405, 438, 458, 461, 464, 479, 504, 509, 814, 922, 942, 985, 1065
Phalonia hospes (banded sunflower moth)
185, 834
Pheidole javana (an ant)
203, 214
Phenacaspis cockerelli (an armored scale)
34, 96, 136, 255, 283, 299, 371, 709, 884, 914, 927, 960, 988, 1026, 1037
Phenacaspis heterophyllae
154, 157
Phenacaspis pinifoliae (pine needle scale)
17, 32, 79, 223, 282, 284, 468, 490, 545, 574, 685, 711, 740, 895, 927, 960, 1045, 1067, 1083
Phenacoccus aceris (apple mealybug)
815
Phenacoccus gossypii (Mexican mealybug)
879, 1045
Phenacoccus solani
221
Phenacoccus solenopsis
1066
Philaenus spumarius (meadow spittlebug)
144, 147, 164, 165, 220, 235, 278, 308, 342, 363, 383, 407, 440, 446, 461, 482, 494, 508, 517, 524, 535, 551, 563, 590, 604, 619, 646, 672, 678, 701, 832, 850, 873, 1032
Phlibostroma quadrimaculatum (a grasshopper) 393, 418, 449, 493, 521, 548, 549, 577, 634, 659, 772, 882
Phloeosinus sp. (a bark beetle)
134
Phloeosinus cupressi
263, 739
Phloeotrya vaudoueri (a melandryid bark beetle) 524
Phoebis philea (a sulphur butterfly)
682
Phoetaliotes nebrascensis (a grasshopper)
772, 896
Phoracantha semipunctata (a cerambycid beetle) 251
Phorodon humuli (hop aphid)
186, 511, 579
Phryganidia californica (California oakworm) 44, 155, 262, 544
Phthorimaea operculella (potato tuberworm)
183, 205, 248, 318, 343, 385, 463, 484, 512, 566, 622, 650, 733, 774, 813, 822, 860, 909, 944, 961, 975
Phyllaphis fagi (an aphid)
489
Phyllobius oblongus (a weevil)
680, 683
Phyllocoptes wisconsinensis (an eriophyid mite) 177, 179
Phyllocoptruta oleivora (citrus rust mite)
30, 31, 40, 41, 82, 91, 132, 153, 180, 221, 234, 281, 312, 347, 388, 445, 516, 571, 627, 681, 708, 736, 791, 855, 926, 959, 1013, 1033, 1055
Phyllophaga spp. (white grubs, May beetles) 146, 147, 235, 283, 305, 340, 348, 368, 381, 390, 406, 415, 503, 504, 538, 970
Phyllophaga anxia
147, 381, 505, 922
Phyllophaga bruneri (Cuban May beetle)
393, 471, 578

Phyllotreta spp. (flea beetles)
210, 212
Phyllotreta cruciferae
443, 485, 513, 814
Phyllotreta striolata (striped flea beetle) 618
Phylloxera caryaecaulis
415
Phylloxera devastatrix (pecan phylloxera)
66, 312, 413, 445, 653
Phylloxera notabilis (pecan leaf phylloxera) 445
Phylloxera tuberculifera
1026
Phylloxera vitifoliae (grape phylloxera)
235, 367, 894, 900
Phymatodes amoenus (a cerambycid beetle)
1045, 1048
Physokermes piceae (spruce bud scale)
599, 655, 685, 879
Phytocoris mundus (a plant bug)
579
Phytocoris puella
604
Phytomyza spp. (leaf miner flies)
43, 255
Phytomyza ilicicola (native holly leaf miner) 61, 255, 283, 368, 389
Phytoptus avellanae (filbert bud mite)
233
Phytoseiulus macropilis (a phytoseiid mite) 660, 745
Piazorhinus tuberculatus (a weevil)
348
Pickleworm
(Diaphania nitidalis)
Pieris protodice (southern cabbageworm)
81
Pieris rapae (imported cabbageworm)
34, 64, 136, 175, 180, 185, 209, 221, 344, 365, 410, 443, 485, 539, 567, 594, 624, 706, 764, 765, 835, 854, 877, 909, 971, 1013, 1028, 1044, 1046, 1048, 1054, 1069, 1086
Pikonema alaskensis (yellow-headed spruce sawfly) 631, 740
Pilophorus laetus (a plant bug)
551
Pineapple mealybug
(Dysmicoccus brevipes)
Pineapple scale
(Diaspis bromeliae)
Pine bark aphid
(Pineus strobi)
Pine chafer
(Anomala oblivia)
Pine colaspis
(Colaspis pini)
Pine engraver
(Ips pini)
Pine leaf chermid
(Pineus pinifoliae)
Pine needle miner
(Exoteleia pinifoliella)
Pine needle scale
(Phenacaspis pinifoliae)
Pine spittlebug
(Aphrophora parallela)
Pine tortoise scale
(Toumeyella numismaticum)
Pine tussock moth
(Dasychira plagiata)
Pineus pinifoliae (pine leaf chermid)
574
Pineus strobi (pine bark aphid)
44, 154, 349, 415, 631, 655, 685, 927
Pine webworm
(Tetralopha robustella)
Pink bollworm
(Pectinophora gossypiella)
Pink scavenger caterpillar
(Sathrobrota rileyi)
Pink sugarcane mealybug
(Saccharicoccus sacchari)
Pinnaspis aspidistrae (fern scale)
61, 572, 878, 988, 1025, 1045
Pinnaspis strachani (an armored scale)
31, 737, 817, 927, 960, 1083
Pirate bugs
688, 743, 772
Pissodes spp.
711
Pissodes approximatus (northern pine weevil) 711
Pissodes nemorensis (deodar weevil)
390
Pissodes strobi (white-pine weevil)
263, 518, 711, 769, 972, 1057
Pitch mass borer
(Vespamima pini)
Pitedia spp.
728, 762
Pitedia ligata* (conchuela)
142, 182, 437, 669, 957
Pitedia sayi** (say stink bug)
144, 182, 185, 281, 305, 565, 732, 852, 891, 1044
Pityogenes chalcographus (a bark beetle)
934
Pityophthorus ponderosae (a bark beetle)
1083
Plagiodera versicolora (imported willow leaf beetle) 545, 656, 738, 817
Plagiognathus gleditsiae (a plant bug)
264
Plagiohammus spinipennis (a cerambycid beetle) 550
Planococcus citri (citrus mealybug)
65, 117, 152, 286, 945, 1014
Plant bugs
159, 182, 488, 592, 621, 675, 732
Plathypena scabra (green cloverworm)
40, 77, 159, 161, 164, 174, 207, 208, 220, 278, 307, 342, 408, 507, 512, 535, 562, 589, 590, 618, 620, 671, 673, 677, 700, 702, 729, 730, 734, 759, 785, 786, 790, 808, 810, 831, 832, 835, 850, 851, 853, 874, 875, 891, 892, 907, 908, 923, 957
Platynota stultana (a leaf roller moth)
59, 182, 200, 212, 228, 235, 460, 628, 681, 707, 765, 836, 926, 944
Platyptilia sp. (a plume moth)
17
Platyptilia antirrhina
368
Platyptilia carduidactyla (artichoke plume moth) 211, 212, 309, 678, 765
Platyptilia pica
117, 153, 157, 489
Platyptilia pica monticola
253
Platypus externedentatus (a platypodid beetle) 65
Plecia nearctica (a March fly)
858
Plectrodera scalator (cottonwood borer)
630
Pleuroloma brunnes (a milliped)
560
Plodia interpunctella (Indian-meal moth)
42, 93, 289, 316, 896, 928, 989, 1035, 1046, 1068, 1084
Plum curculio
(Conotrachelus nenuphar)
Plum gouger
(Anthonomus scutellaris)
Plutella xylostella (diamondback moth)
16, 40, 64, 78, 90, 116, 175, 185, 209, 221, 226, 309, 344, 386, 550, 567, 651, 660, 690, 712, 822, 842, 899, 1028, 1046, 1059, 1069, 1084, 1085, 1086

*Also carried in Vol. 17 as Chlorochroa ligata
**Also carried in Vol. 17 as Chlorochroa sayi

Podosesia syringae (a clearwing moth)
262
Podosesia syringae syringae (lilac borer)
879
Poecilocapsus lineatus (four-lined plant bug) 213, 568, 595
Polydesma umbricola (a noctuid moth)
65, 82, 180, 318, 550, 963
Polygonia interrogationis (a nymphalid butterfly) 262
Popillia japonica (Japanese beetle)
293, Following page 346; 471, 550, 578, 603, 635, 659, 689, 716, 740, 744, 773, 796, 821, 840, 842, 859, 882, 897, 948, 962, 974, 1036
Poplar-and-willow borer
(Sternochetus lapathi)
Poplar borer
(Saperda calcarata)
Poplar petiole gall aphid
(Pemphigus populitransversus)
Poplar twig gall aphid
(Pemphigus populiramulorum)
Porpomiris curtulus (a plant bug)
579
Porthetria dispar (gypsy moth)
135, 248, 258, 291, 293, 393, 418, 471, 522, 550, 578, 603, 635, 659, 689, 716, 743, 773, 796, 821, 840, 859, 896, 900, 912, 915, 973, 1035
Potato aphid
(Macrosiphum euphorbiae)
Potato flea beetle
(Epitrix cucumeris)
Potato leafhopper
(Empoasca fabae)
Potato psyllid
(Paratrioza cockerelli)
Potato stalk borer
(Trichobaris trinotata)
Potato tuberworm
(Phthorimaea operculella)
Prairie tent caterpillar
(Malacosoma lutescens)
Praon pequodorum (a braconid)
646, 671
Pratylenchus coffeae (a nematode)
937
Pratylenchus neglectus
937
Pratylenchus penetrans
937
Prays citri (citrus flower moth)
1061
Predators
392
Prionoxystus robiniae (carpenterworm)
261, 311
Prionus laticollis (broad-necked root borer) 707
Priophorus morio (a sawfly)
654
Pristiphora abbreviata (California pear-slug) 232, 466, 626
Pristiphora californica
See Pristiphora abbreviata
Pristiphora erichsonii (larch sawfly)
117, 120, 257, 265, 711, 769
Pristiphora geniculata (mountain-ash sawfly) 265, 656, 739
Privet mite
(Brevipalpus obovatus)
Prociphilus fraxinifolii
263, 656
Prociphilus imbricator (beech blight aphid) 263, 447, 684, 911
Prociphilus tessellatus (woolly alder aphid) 263
Prodenia spp.
785, 805, 850
Prodenia eridania (southern armyworm)
212

Prodenia ornithogalli (yellow-striped armyworm) 140, 161, 166, 307, 343, 384, 510, 535, 537, 592, 645, 727, 730, 759, 785, 786, 850, 876, 891, 906, 925, 943. Light traps: 6, 18, 34, 43, 63, 81, 94, 120, 136, 157, 180, 203, 225, 252, 297, 319, 353, 372, 394, 420, 451, 474, 495, 525, 526, 552, 553, 581-582, 606-607, 637-638, 661-662, 691-692, 718-719, 746-747, 775-776, 798-799, 823-824, 843, 861, 885, 901, 916, 931, 950, 964, 975, 989, 1016, 1028, 1037, 1048, 1059, 1086
Prodenia praefica (western yellow-striped armyworm) 162, 671, 677, 700 704, 729, 768, 785, 809, 850, 874, 891, 907, 909
Prodenia sunia 344
Profenusa sp. (a sawfly) 264
Profenusa lucifex (a sawfly) 265
Profenusa mainensis (a sawfly) 265
Prosapia bicincta (two-lined spittlebug) 147, 560, 808, 849, 858, 890, 922, 956
Prospaltella opulenta (a eulophid wasp) 42
Protaetia fusca (a scarab) 136
Proxenus mindara (rough-skinned cutworm) 39, 234
Psallus seriatus (cotton fleahopper) 182, 385, 408, 441, 462, 510, 537, 565, 592, 622, 649, 675, 704
Psara licarsisalis (a grass webworm) See Herpetogramma licarsisalis
Pseudaletia unipuncta (armyworm) 66, 121, 275, 303, 339, 359, 379, 403, 435, 455, 477, 501, 529, 557, 585, 613, 641, 665, 695, 725, 753, 781, 805, 829, 847, 905, 921, 955, 969, 1011, 1043. Light traps: 6, 18, 34, 43, 63, 81, 94, 120, 136, 157, 180, 203, 225, 252, 297, 319, 353, 372, 394, 420, 451, 474, 495, 525, 526, 552, 553, 581-582, 606-607, 637-638, 661-662, 691-692, 718-719, 746-747, 775-776, 798-799, 823-824, 843, 861, 885, 901, 916, 931, 950, 964, 975, 989, 1016, 1028, 1037, 1048, 1059, 1086
Pseudaonidia clavigera (an armored scale) 629, 817, 1045, 1056
Pseudaonidia duplex (camphor scale) 61, 63, 1056, 1058
Pseudaphycus sp. (an encyrtid wasp) 948
Pseudaulacaspis major (an armored scale) 6, 7
Pseudaulacaspis pentagona (white peach scale) 61, 91, 117, 133, 175, 222, 231, 245, 255, 311, 367, 515, 542, 654, 837, 854, 927, 1013, 1032, 1044
Pseudocneorhinus bifasciatus (a Japanese weevil) 879, 927, 972
Pseudococcus spp. 32
Pseudococcus adonidum (long-tailed mealybug) 78, 176, 200, 254, 368
Pseudococcus comstocki (Comstock mealybug) 837, 842, 894, 948, 1068
Pseudococcus diversus 709
Pseudococcus importatus 737
Pseudococcus longispinus 176
Pseudococcus maritimus (grape mealybug) 235, 413
Pseudococcus microcirculus 32, 254
Pseudococcus obscurus 17, 32, 65, 154, 176, 421, 550, 1014, 1044, 1045
Pseudococcus sparsus 223, 225
Pseudohazis eglanterina (a saturniid moth) 683, 710, 737
Pseudophilippia quaintancii (a soft scale) 818
Pseudoplusia includens (a noctuid moth) 166, 182, 205, 208, 209, 833, 892
Psila rosae (carrot rust fly) 213
Psocid 289
Psoloessa delicatula (a grasshopper) 521
Psorophora spp. (mosquitoes) 657, 770, 858, 895
Psorophora ciliata 365, 391, 520, 632, 685, 880
Psorophora confinnis 266, 284, 315, 391, 416, 520, 632, 685, 713, 794, 838, 858, 880, 928, 973, 1014
Psorophora cyanescens 266, 685
Psorophora discolor 685
Psorophora ferox 928, 973
Psorophora howardii 685
Psylla pyricola (pear psylla) 231, 280, 311, 346, 387, 413, 445, 466, 487, 597, 815, 822, 826, 855, 878, 893, 1045
Psylla ribesiae 313
Psylla uncatoides (acacia psyllid) 251, 254, 299, 395, 494, 523, 551, 605, 629, 1028
Psyllobora vigintimaculata (a lady beetle) 80
Pterocomma flocculosa (an aphid) 201
Pterophorus sp. (a plume moth) 313
Pterophorus periscelidactylus (grape plume moth) 235
Ptycholoma peritana (a leaf roller moth) 234, 460
Puccinia graminis (black stem rust) 1071
Pulvinaria spp. (soft scales) 255
Pulvinaria innumerabilis (cottony maple scale) 260, 264, 519, 574, 656, 715
Pulvinaria psidii (green shield scale) 414
Puncture-vine stem weevil (Microlarinus lypriformis)
Purple scale (Lepidosaphes beckii)
Puss caterpillar (Megalopyge opercularis)
Pyanisia tristis (a darkling beetle) 842
Pyrrhalta luteola (elm leaf beetle) 223, 254, 260, 262, 283, 287, 314, 348, 368, 447, 467, 490, 518, 545, 574, 579, 600, 630, 656, 683, 710, 717, 738, 740, 768, 789, 792, 817, 837, 842, 857, 860, 879, 884, 894, 900, 910, 927, 946, 949, 1034

R

Radopholus similis (a nematode) 937
Ramosia tipuliformis (currant borer) 488
Range caterpillar (Hemileuca oliviae)
Range crane fly (Tipula simplex)
Rapid plant bug (Adelphocoris rapidus)
Raspberry cane borer (Oberea bimaculata)
Raspberry crown borer (Bembecia marginata)
Raspberry leaf roller (Exartema permundanum)
Red-backed cutworm (Euxoa ochrogaster)
Red-banded leaf roller (Argyrotaenia velutinana)
Red-banded thrips (Selenothrips rubrocinctus)
Red flour beetle (Tribolium castaneum)
Red-headed ash borer (Neoclytus acuminatus)
Red-headed pine sawfly (Neodiprion lecontei)
Red-humped caterpillar (Schizura concinna)
Red-legged grasshopper (Melanoplus femurrubrum)
Red-necked peanutworm (Stegasta bosqueella)
Red-shouldered stink bug (Thyanta accerra)
Red turnip beetle (Entomoscelis americana)
Red turpentine beetle (Dendroctonus valens)
Red wax scale (Ceroplastes rubens)
Reticulitermes spp. (subterranean termites) 79, 80, 118, 135, 247, 285, 287, 859
Reticulitermes flavipes (eastern subterranean termite) 80, 287, 316
Reticulitermes hageni 80
Reticulitermes hesperus (western subterranean termite) 288
Reticulitermes tibialis 287, 288, 417, 714
Retinodiplosis spp. See Cecidomyia spp.
Retithrips syriacus (black vine thrips) 354
Rhabdoscelus obscurus (New Guinea sugar-cane weevil) 119, 421, 473, 580, 749-750
Rhagoletis spp. (fruit flies) 542, 570, 597, 626
Rhagoletis cerasi (European cherry fruit fly) 933
Rhagoletis cingulata (cherry fruit fly) 231, 413, 542, 570, 597, 626, 652
Rhagoletis cingulata indifferens 488, 515, 626, 773, 796
Rhagoletis completa (walnut husk fly) 78, 175, 231, 766, 791, 816, 855, 860, 910, 915, 945, 987, 1032
Rhagoletis fausta (black cherry fruit fly) 231, 542, 570, 597, 626
Rhagoletis mendax (blueberry maggot) 235, 598, 682, 709, 737, 767, 792, 817
Rhagoletis pomonella (apple maggot) 231, 570, 597, 652, 679, 707, 717, 735, 766, 791, 815, 836, 855, 877, 893, 910
Rhagoletis suavis 653, 681, 736, 815, 987
Rhinacloa forticornis (a plant bug) 523
Rhipicephalus sanguineus (brown dog tick) 271, 491, 771, 1067
Rhipidothrips brunneus (a thrips) 305
Rhizaspidiotus dearnessi (an armored scale) 1056, 1058
Rhizoecus kondonis (a mealybug) 220

Rhizoecus prichardi
254
Rhizoglyphus echinopus (bulb mite)
213, 280, 283, 411, 414, 710
Rhodes-grass scale
(Antonina graminis)
Rhododendron whitefly
(Dialeurodes chittendeni)
Rhopalosiphoninus staphyleae (an aphid)
254
Rhopalosiphum fitchii (apple grain aphid)
143, 230, 242, 275, 280, 311, 340, 346, 387, 412, 437, 465, 504, 532, 879, 881, 1065
Rhopalosiphum maidis (corn leaf aphid)
15, 39, 59, 77, 89, 115, 121, 123, 151, 173, 197, 241, 275, 303, 339, 359, 379, 403, 435, 455, 477, 501, 529, 585, 595, 613, 641, 665, 695, 699, 725, 754, 782, 806, 829, 871, 905, 921, 930, 955, 985, 1031, 1043, 1065, 1068
Rhopalosiphum padi
143, 151, 219, 246, 305, 361, 381, 457, 463, 479, 956, 1081
Rhopalosiphum rufiabdominalis
29, 956
Rhopobota naevana (black-headed fireworm)
516, 543, 737
Rhubarb curculio
(Lixus concavus)
Rhyacionia spp. (olethreutid moths)
314, 518
Rhyacionia buoliana (European pine shoot moth) 201, 253, 256, 272, 320, 467, 489, 518, 544, 598, 603, 678, 684, 740, 793, 818, 911, 915
Rhyacionia frustrana (Nantucket pine tip moth) 60, 92, 177, 222, 253, 282, 349, 467, 518, 573, 598, 655, 684, 769, 793, 818, 837, 895, 960, 988, 1014
Rhyacionia neomexicana
257
Rhyacionia subtropica
740
Rhynchaenus rufipes (willow flea weevil)
468, 857
Rhyzopertha dominica (lesser grain borer)
288
Rice stink bug
(Oebalus pugnax)
Rice water weevil
(Lissorhoptrus oryzophilus)
Rice weevil
(Sitophilus oryzae)
Rocky Mountain wood tick
(Dermacentor andersoni)
Rodolia cardinalis (vedalia)
255, 290, 299, 388, 881
Romalea microptera (eastern lubber grasshopper) 635, 654
Rose aphid
(Macrosiphum rosae)
Rose chafer
(Macrodactylus subspinosus)
Rose leafhopper
(Edwardsiana rosae)
Rose scale
(Aulacaspis rosae)
Rose-slug
(Endelomyia aethiops)
Rosy apple aphid
(Dysaphis plantaginea)
Rough-skinned cutworm
(Proxemus mindara)
Rumina decollata (a snail)
6
Rusty plum aphid
(Hysteroneura setariae)

S

Sabulodes caberata (omnivorous looper)
176, 234, 681
Sacatonia graminivora (a chloropid fly)
505
Saccharicoccus sacchari (pink sugarcane mealybug) 712
Saddled prominent
(Heterocampa guttivitta)
Sagebrush defoliator
(Aroga websteri)
Saissetia coffeae (hemispherical scale)
79, 176, 246, 255, 368, 414, 550, 842, 910, 927, 1014
Saissetia nigra (a soft scale)
544, 927
Saissetia oleae (black scale)
30, 31, 41, 91, 133, 153, 154, 222, 233, 282, 312, 347, 388, 414, 446, 516, 571, 628, 681, 708, 736, 792, 855, 894, 926, 959
Salt-marsh caterpillar
(Estigmene acrea)
Salt-marsh mosquito
(Aedes sollicitans)
San Jose scale
(Aspidiotus perniciosus)
Sanninoidea sp.
465, 679
Sanninoidea exitiosa (peach tree borer)
31, 91, 92, 227, 228, 311, 486, 514, 569, 765, 854, 878, 893, 909, 945, 1055
Sanninoidea exitiosa graefi (western peach tree borer) 228, 1066, 1082, 1085
Sap beetles
756, 807
Saperda calcarata (poplar borer)
683
Saperda tridentata (elm borer)
283, 574
Sapyga pumila (a sapygid wasp)
715
Sarasota plumigerella (a phycitid moth)
817
Saratoga spittlebug
(Aphrophora saratogensis)
Sarcophaga aldrichi (a sarcophagid fly)
629
Sathrobrota rileyi (pink scavenger caterpillar) 92, 182, 947, 961, 987, 989
Satin moth
(Stilpnotia salicis)
Sawflies
257, 532
Saw-toothed grain beetle
(Oryzaephilus surinamensis)
Say stink bug
(Pitedia sayi)
Scale insects
253, 254, 258
Scapteriscus spp. (mole crickets)
305, 757
Schistocerca vaga (vagrant grasshopper)
63, 64, 158, 214, 251, 299, 523, 580, 605, 660, 690, 712, 745, 774, 797, 899, 1016, 1028, 1069, 1086
Schizaphis graminum (greenbug)
3, 15, 29, 39, 59, 77, 89, 115, 121, 124, 131, 151, 173, 217, 225, 241, 275, 303, 339, 359, 379, 403, 435, 455, 457, 477, 501, 529, 557, 585, 613, 641, 666, 696, 829, 847, 871, 889, 905, 921, 941, 955, 969, 985, 1011, 1023, 1031, 1043, 1053, 1065, 1081
Schizocerella pilicornis (a sawfly)
945
Schizolachnus pineti (an aphid)
447, 450
Schizura concinna (red-humped caterpillar) 229, 893, 972
Schizura unicornis (unicorn caterpillar)
229
Schreckensteinia festaliella
(a heliodinid moth) 66
Sciopithes obscurus (a weevil)
234, 235
Scirtothrips aurantii (South African citrus thrips) 965
Scirtothrips citri (citrus thrips)
176, 200, 222, 233, 234, 245, 282, 312, 347, 367, 488, 516, 653, 681, 737, 767, 792, 836, 1045
Scolytus amygdali (almond scolytid)
1077
Scolytus multistriatus (smaller European elm bark beetle) 135, 201, 203, 263, 310, 314, 348, 390, 468, 490, 545, 573, 630, 837
Scolytus quadrispinosus (hickory bark beetle) 545
Scolytus rugulosus (shot-hole borer)
230, 366, 387, 487, 570
Scolytus ventralis (fir engraver)
573, 655, 960
Scotogramma trifolii (clover cutworm)
675
Screw-worm
(Cochliomyia hominivorax)
Scurfy scale
(Chionaspis furfura)
Scutigerella spp.
560
Scutigerella immaculata (garden symphylan) 142, 207, 211, 214, 236, 504, 560, 616, 625, 629, 644, 890, 959
Scymnus debilis (a lady beetle)
712
Scyphophorus acupunctatus (a weevil)
768
Seed-corn beetle
(Agonoderus lecontei)
Seed-corn maggot
(Hylemya platura)
Selca brunella (melastoma borer)
66, 214, 421, 745, 860
Selenothrips rubrocinctus (red-banded thrips) 63, 180, 494, 949
Senn pest
(Eurygaster integriceps)
Sepedon macropus (a sciomyzid fly)
66, 860
Sepedon sauteri
860
Serica brunnea (brown chafer)
608
Sericothrips variabilis (a thrips)
167, 183, 535, 594
Serpentine leaf miner
(Liriomyza brassicae)
Sesamia nonagrioides (a noctuid moth)
934
Shaft louse
(Menopon gallinae)
Shallot aphid
(Myzus ascalonicus)
Sheep ked
(Melophagus ovinus)
Shoot moths
258
Short-nosed cattle louse
(Haematopinus eurysternus)
Shot-hole borer
(Scolytus rugulosus)
Silpha bituberosa (a carrion beetle)
507
Silver-spotted tiger moth
(Halisidota argentata)
Silvius sp. (a deer fly)
741
Simulium spp. (black flies)
520, 633, 687, 820, 839

Simulium damnosum
917
Simulium metallicum
917
Simulium neavei
917
Simulium ochraceum
917
Simulium tescorum
[illegible]
Simulium venustum
266
Simyra henrici (an arctiid moth)
727
Sinea spp. (assassin bugs)
947
Sinoxylon conigerum (a bostrichid beetle)
934
Sipha flava (yellow sugarcane aphid)
532
Sitka-spruce beetle
(Dendroctonus obesus)
Sitodiplosis mosellana (wheat midge)
670
Sitona spp.
671, 874
Sitona cylindricollis (sweetclover weevil) 161, 439, 481, 507, 671, 729, 785, 809, 850, 874, 970
Sitona flavescens
671, 700
Sitona hispidula (clover root curculio)
278, 341, 460, 481, 507, 561, 563, 590, 1031
Sitona humeralis
934
Sitona lineata (pea leaf weevil)
757
Sitona scissifrons
33, 439, 459, 561, 891
Sitophilus sp.
881
Sitophilus granarius (granary weevil)
248, 288
Sitophilus oryzae (rice weevil)
289, 890, 947, 989, 1035
Sitotroga cerealella (Angoumois grain moth) 289
Six spotted mite
(Eotetranychus sexmaculatus)
Slaterocoris pallipes (a plant bug)
551
Slugs
142, 457, 504, 511, 531, 616, 682, 814
Smaller European elm bark beetle
(Scolytus multistriatus)
Smoky-brown cockroach
(Periplaneta fuliginosa)
Sod webworms
140, 728, 873
Soil insects
141,
Solenopotes capillatus (a cattle louse)
61, 80, 81, 224
Solenopsis (Diplorhoptrum) sp. (an ant)
214, 225
Solenopsis geminata (fire ant)
579, 580, 1065
Solenopsis saevissima richteri (imported fire ant) 33,43, 118, 120, 135, 202, 203, 224, 249, 286, 294, 352, 422, 449, 471, 472, 689, 812, 821, 897, 900, 929, 1027, 1028, 1035, 1036
Solenopsis xyloni (southern fire ant)
60, 92
Solitary oak leaf miner
(Cameraria hamadryadella)
Sorghum midge
(Contarinia sorghicola)
Sorghum webworm
(Celama sorghiella)
Sourbush seed fly
(Acinia picturata)
South African citrus thrips
(Scirtothrips aurantii)
South African emex weevil
(Apion antiquum)
Southern armyworm
(Prodenia eridania)
Southern cabbageworm
(Pieris protodice)
Southern corn rootworm
(Diabrotica undecimpunctata howardi)
Southern cornstalk borer
(Diatraea crambidoides)
Southern fire ant
(Solenopsis xyloni)
Southern garden leafhopper
(Empoasca solana)
Southern green stink bug
(Nezara viridula)
Southern house mosquito
(Culex pipiens quinquefasciatus)
Southern masked chafer
(Cyclocephala immaculata)
Southern pine beetle
(Dendroctonus frontalis)
Southern potato wireworm
(Conoderus falli)
Southern red mite
(Oligonychus ilicis)
Southwestern corn borer
(Zeadiatraea grandiosella)
Southwestern pine beetle
(Dendroctonus brevicomis)
Soybean cyst nematode
(Heterodera glycines)
Spanioza erythreae (two-spotted citrus psyllid) 801, 822
Spanogonicus albofasciatus (a fleahopper)
510, 565, 592, 649, 675, 822
Sparganothis sp. (a leaf roller moth)
628
Spargonothis sulfurana
516
Spathulina tristis (a fruit fly)
933
Sphecius speciosus (cicada killer)
290
Sphenophorus spp.
146, 728, 757, 873
Sphenophorus cicatristriatus
757
Sphenophorus maidis (maize billbug)
436, 478, 669
Sphenophorus parvulus (bluegrass billbug)
33, 146, 670, 757
Sphenophorus phoeniciensis
3, 146, 922
Sphenophorus venatus confluens
185, 186, 480
Sphenophorus venatus vestitus
7, 45, 64, 146, 251, 318, 345, 395, 421, 523, 560, 588, 784, 842, 873, 884, 899, 986, 990, 1016, 1069
Spider mites
5, 167, 183, 210, 211, 236, 265, 384, 565, 587, 622, 644, 784, 812, 834, 906, 908, 925
Spilococcus cactearum (a mealybug)
154
Spilococcus juniperi
223
Spilonota ocellana (eye-spotted bud moth)
228, 366, 387, 412, 444, 465, 596
Spinach leaf miner
(Pegomya hyoscyami)
Spirea aphid
(Aphis spiraecola)
Spissistilus festinus (three-cornered alfalfa hopper) 40, 164, 166, 199, 220, 308, 324, 342, 363, 383, 408, 461, 482, 508, 509, 535, 562, 563, 590, 619, 646, 647, 672, 673, 701, 702, 729, 730, 758, 760, 785, 809, 810, 832, 833, 850, 873, 875, 891, 907, 924, 943, 957, 970, 986, 1012, 1013, 1024, 1043, 1054, 1065, 1081
Spittlebugs
346, 366, 466, 487, 542, 619, 627
Spodoptera exigua (beet armyworm)
3, 16, 40, 64, 78, 90, 94, 116, 152, 182, 184, 204, 205, 212, 234, 244, 343, 363, 364, 371, 410, 421, 441, 467, 510, 537, 559, 566, 660, 690, 730, 760, 764, 774, 786, 788, 809, 850, 860, 877, 878, 891, 907, 908, 909, 923, 924, 943, 949, 986, 987, 1012, 1013, 1024, 1025, 1028, 1032, 1044, 1054, 1066, 1082. Light traps: 6, 18, 34, 63, 94, 120, 157, 180, 203, 225, 252, 297, 319, 353, 372, 394, 420, 451, 474, 495, 525, 526, 552, 553, 582, 606-607, 637-638, 661-662, 691-692, 718-719, 746-747, 775-776, 798-799, 823-824, 843, 861, 885, 901, 916, 931, 950, 964, 975, 989, 1016, 1037, 1048
Spodoptera frugiperda (fall armyworm)
137, 139, 146, 162, 167, 205, 276, 361, 380, 436, 478, 531, 535, 615, 643, 644, 645, 647, 648, 668, 670, 673, 677, 697, 699, 702, 726, 755, 757, 759, 760, 783, 784, 786, 787, 806, 808, 810, 814, 830, 831, 832, 849, 872, 889, 890, 906, 907, 922, 923, 942, 943, 956, 969, 985, 1024. Light traps: 6, 18, 34, 353, 372, 394, 451, 474, 495, 525, 526, 552, 553, 581, 606, 637-638, 661-662, 691-692, 718-719, 746-747, 775-776, 798-799, 823-824, 843, 861, 885, 901, 916, 931, 950, 964, 975, 989, 1016, 1037, 1048, 1059, 1086
Spodoptera mauritia acronyctoides (lawn armyworm) 64, 631
Spotted alfalfa aphid
(Therioaphis maculata)
Spotted asparagus beetle
(Crioceris duodecimpunctata)
Spotted cucumber beetle
(Diabrotica undecimpunctata howardi)
Spotted cutworm
(Amathes c-nigrum)
Spotted garden slug
(Limax maximus)
Spotted Mediterranean cockroach
(Ectobius pallidus)
Spring cankerworm
(Paleacrita vernata)
Spruce aphid
(Elatobium abietinum)
Spruce bud scale
(Physokermes piceae)
Spruce budworm
(Choristoneura fumiferana)
Spruce needle miner
(Taniva albolineana)
Spruce spider mite
(Oligonychus ununguis)
Square-necked grain beetle
(Cathartus quadricollis)
Squash beetle
(Epilachna borealis)
Squash bug
(Anasa tristis)
Squash vine borer
(Melittia cucurbitae)
Stable fly
(Stomoxys calcitrans)
Stagmomantis carolina (Carolina mantid)
601
Stalk borer
(Papaipema nebris)
Steel-blue lady beetle
(Orcus chalybeus)
Stegasta bosqueella (red-necked peanut-worm) 167, 483, 833, 875, 892
Stelidota geminata (a sap beetle)
205, 211, 389
Steneotarsonemus sp.
345

Steneotarsonemus laticeps (bulb scale mite) 222
Steneotarsonemus pallidus (cyclamen mite) 236, 255, 631, 737
Stenodema pilosipes (a grass bug) 147
Stenodiplosis bromicola (a bromegrass seed midge) 148
Stephanitis spp. 709
Stephanitis pyrioides (azalea lace bug) 44, 348, 489, 709, 738
Stephanitis takeyai 709
Sternochetus lapathi (poplar-and-willow borer) 262, 263, 630
Stethorus spp. (lady beetles) 370, 448
Stictocephala bubalus (buffalo treehopper) 164, 735, 767
Stilbometopa impressa (a louse fly) 32
Stilpnotia salicis (satin moth) 260, 261, 573, 599, 630, 683, 769
Stink bugs 142, 182, 566, 622, 675, 924, 971
Stomoxys calcitrans (stable fly) 61, 155, 265, 268, 391, 469, 547, 576, 601, 633, 657, 686, 713, 741, 771, 794, 819, 839, 858, 881, 895, 912, 928, 947, 961, 973, 1014, 1034, 1057
Stone-fruit tree borer (Cerambyx dux)
Stragania apicalis (a leafhopper) 631
Strauzia longipennis (sunflower maggot) 186
Strawberry aphid (Chaetosiphon fragaefolii) 134
Strawberry crown borer (Tyloderma fragariae)
Strawberry leaf roller (Ancylis comptana fragariae)
Strawberry root weevil (Brachyrhinus ovatus)
Strawberry spider mite (Tetranychus atlanticus)
Strawberry weevil (Anthonomus signatus)
Striped cucumber beetle (Acalymma vittatum)
Striped flea beetle (Phyllotreta striolata)
Striped horse fly (Tabanus lineola)
Strumigenys rogeri (an ant) 203, 214
Strymon melinus (cotton square borer) 675, 787, 875
Suckfly (Cyrtopeltis notatus)
Sugar-beet crown borer (Hulstia undulatella)
Sugar-beet root aphid (Pemphigus populivenae)
Sugar-beet root maggot (Tetanops myopaeformis)
Sugar-beet wireworm (Limonius californicus)
Sugarcane beetle (Euetheola rugiceps)
Sugarcane borer (Diatraea saccharalis)
Sugarcane leafhopper (Perkinsiella saccharicida)
Sugarcane leaf roller (Hedylepta accepta)
Summer chafer (Amphimallon solstitialis)
Sunflower fruit fly (Acanthiophilus eluta)
Sunflower maggot (Strauzia longipennis)
Sunflower moth (Homoeosoma electellum)
Supella supellectilium (brown-banded cockroach) 287, 820
Superb plant bug (Adelphocoris superbus)
Surattha indentella (buffalo grass webworm) 173, 179, 551, 699, 728
Sweetclover aphid (Therioaphis riehmi)
Sweetclover weevil (Sitona cylindricollis)
Sweetpotato flea beetle (Chaetocnema confinis)
Sweetpotato leaf miner (Bedellia orchilella)
Sweetpotato vine borer (Omphisa anastomosalis)
Sweetpotato weevil (Cylas formicarius elegantulus)
Sweetpotato whitefly (Bemisia tabaci)
Sycamore lace bug (Corythucha ciliata)
Sycamore tussock moth (Halisidota harrisii)
Symmoca signatella (a gelechiid moth) 245
Symphylans 619
Sympiesis viridula (a eulophid wasp) 137, 290, 795, 969
Synanthedon pictipes (lesser peach tree borer) 153, 227, 228, 281, 311, 366, 412, 419, 444, 465, 486, 514, 541, 569, 596, 625, 652, 679, 707, 735, 765, 815, 909, 1044
Syngamia haemorrhoidalis (lantana leaf tier) 884
Syrbula admirabilis (a grasshopper) 896
Syringopais temperatella (cereal leaf miner) 375
Syrphid flies 634, 687, 743, 772
Systena spp. 891
Systena bitaeniata 507
Systena blanda (pale-striped flea beetle) 161, 207, 385, 442, 561, 589, 594, 618, 677, 700, 758, 785
Systena frontalis 141, 790
Systena marginalis 655
Systole geniculata (a seed chalcid) 707

T

Tabanid flies 713
Tabanus spp. (horse flies) 269, 469, 657, 686, 741, 771, 820, 839, 858
Tabanus abactor 547, 576
Tabanus atratus (black horse fly) 269, 576
Tabanus equalis 547
Tabanus lineola (striped horse fly) 269, 469, 547, 576, 686, 771
Tabanus punctifer 771
Tabanus quinquevittatus 686
Tabanus sulcifrons 820, 858
Tachypterellus quadrigibbus (apple curculio) 466, 515, 739, 740
Taedia colon (a plant bug) 604
Taeniothrips eucharii 934
Taeniothrips simplex (gladiolus thrips) 133, 246
Tamalia coweni (an aphid) 738, 1067
Tamarind seed beetle (Caryedon serratus)
Taniva albolineana (spruce needle miner) 262, 415, 447, 489, 598
Tapinoma sessile (odorous house ant) 288
Tarnished plant bug (Lygus lineolaris)
Taro leafhopper (Tarophagus proserpina)
Tarophagus proserpina (taro leafhopper) 64, 694, 774, 860, 1037
Tarsonemus randsi (a tarsonemid mite) 213
Tawny garden slug (Limax flavus)
Tea scale (Fiorinia theae)
Telenomus sp. (a scelionid wasp) 392
Temnaspidiotus excisus (an armored scale) 176, 960, 963
Temnochila virescens (a predaceous ostomid beetle) 223
Tenebrio obscurus (dark mealyworm) 547
Tenodera aridifolia sinensis (Chinese mantid) 795
Tent caterpillars 260-261
Tenuipalpus pacificus (a false spider mite) 82, 946
Termites 247, 287, 316, 392, 492
Tetanops myopaeformis (sugar-beet root maggot) 184, 185, 244, 279, 343, 364, 385, 442, 462, 484, 511, 565, 593, 622, 649, 704
Tethida cordigera (black-headed ash sawfly) 574
Tetraeuaresta obscuriventris (a tephritid fly) 136
Tetraleurodes mori (mulberry whitefly) 767
Tetralopha robustella (pine webworm) 818, 911, 946, 1057
Tetramorium caespitum (pavement ant) 288
Tetranychus spp. (spider mites) 142, 207, 208, 211, 227, 232, 236, 255, 265, 280, 343, 367, 385, 413, 442, 445, 446, 488, 515, 517, 539, 571, 592, 594, 595, 597, 620, 627, 647, 649, 650, 651, 653, 654, 655, 675, 677, 678, 680, 682, 699, 704, 705, 706, 708, 712, 732, 736, 756, 760, 762, 764, 766, 767, 769, 787, 789, 791, 807, 831, 853, 879, 884, 944, 1045
Tetranychus atlanticus (strawberry spider mite) 164, 167, 183, 222, 245, 367, 489, 925, 1054
Tetranychus cinnabarinus 539
Tetranychus hydrangeae 732
Tetranychus marianae 255, 385, 539, 944, 987, 1054
Tetranychus mcdanieli 232, 236, 291, 466, 470, 488, 766, 772, 816
Tetranychus pacificus (Pacific spider mite) 183, 627, 791, 945
Tetranychus telarius (carmine spider mite) 63, 64, 142, 158, 167, 309, 395, 450, 494, 572, 580, 605, 660, 797, 914, 949, 1016, 1037, 1059, 1069, 1086

Tetranychus tumidus (tumid spider mite)
44, 745, 899
Tetranychus ulmi
766
Tetranychus urticae (two-spotted spider mite) 142, 176, 183, 186, 204, 207, 208, 211, 213, 232, 236, 255, 282, 283, 361, 367, 385, 389, 445, 478, 515, 543, 571, 626, 653, 680, 682, 699, 701, 710, 732, 756, 759, 762, 763, 784, 789, 815, 816, 831, 849, 872, 878, 910, 924, 944, 946, 1024, 1045, 1083
Tetranychus yusti
92
Tetrastichus asparagi (a eulophid wasp)
658
Tetrastichus bruchophagi
707
Tetrastichus incertus
352, 492, 588
Tetrastichus sokolowskii
1084, 1085
Tetropium velutinum (a cerambycid beetle)
310, 314
Texas citrus mite
(Eutetranychus banksi)
Thamnosphecia scitula (dogwood borer)
31
Theba pisana (white garden snail)
33, 62, 294, 523, 690, 935
Therioaphis maculata (spotted alfalfa aphid) 3, 15, 29, 39, 59, 77, 89, 115, 121, 125, 131, 151, 157, 173, 197, 217, 241, 251, 275, 303, 339, 359, 379, 403, 435, 456, 477, 502, 530, 558, 586, 614, 636, 642, 650, 667, 696, 715, 726, 754, 782, 806, 829, 848, 871, 889, 905, 921, 941, 955, 969, 985, 1011, 1023, 1031, 1043, 1053, 1060, 1065, 1081
Therioaphis riehmi (sweetclover aphid)
508
Therioaphis trifolii (yellow clover aphid)
729
Thirteen-spotted lady beetle (Hippodamia tredecimpunctata tibialis)
Thistle aphid
(Brachycaudus cardui)
Three-cornered alfalfa hopper
(Spissistilus festinus)
Three-lined potato beetle
(Lema trilineata)
Thrips
152, 163, 167, 175, 183, 221, 244, 288, 310, 312, 313, 345, 381, 384, 386, 408, 440, 441, 443, 462, 483, 504, 510, 513, 531, 535, 539, 540, 559, 560, 563, 565, 567, 590, 591, 592, 594, 595, 616, 619, 620, 622, 647, 649, 673, 678, 699, 701, 730, 765
Thrips hawaiiensis (Hawaiian thrips)
65, 214, 975
Thrips tabaci (onion thrips)
64, 116, 180, 199, 211, 213, 221, 222, 411, 464, 513, 568, 625, 652, 678, 707, 734, 774, 790, 835, 877
Thyanta accerra (red-shouldered stink bug) 64, 251, 605, 774, 1037
Thyanta punctiventris
185, 675
Thyreophagus entomophagus (an acarid mite) 291
Thyridopteryx ephemeraeformis (bagworm)
117, 253, 367, 389, 390, 414, 466, 486, 489, 517, 544, 572, 598, 629, 654, 682
Thyridopteryx meadi (a psychid moth)
117
Ticks
265, 448, 491, 520, 634
Tinea pellionella (casemaking clothes moth) 288
Tineola bisselliella (webbing clothes moth) 288
Tip-dwarf mite
(Eriophyes thujae)
Tip moths
258
Tipula sp.
242
Tipula paludosa (European crane fly)
148, 700, 975
Tipula simplex (range crane fly)
90, 132
Tobacco budworm
(Heliothis virescens)
Tobacco flea beetle
(Epitrix hirtipennis)
Tobacco hornworm
(Manduca sexta)
Tobacco thrips
(Frankliniella fusca)
Tobacco wireworm
(Conoderus vespertinus)
Tomato fruitworm
(Heliothis zea)
Tomato hornworm
(Manduca quinquemaculata)
Tomato pinworm
(Keiferia lycopersicella)
Tomato russet mite
(Aculops lycopersici)
Tomicus piniperda (a bark beetle)
934
Tominotus communis (a burrowing stink bug) 167, 242, 509, 591, 702
Tomostethus multicinctus (brown-headed ash sawfly) 265
Tortrix excessana (a tortricid moth)
934
Toumeyella liriodendri (tuliptree scale)
154, 179, 369
Toumeyella numismaticum (pine tortoise scale) 490, 545, 631, 685, 711, 927, 1026, 1057, 1067, 1083
Toumeyella pinicola
255
Toxoptera aurantii (black citrus aphid)
214, 348, 467, 1086
Toxoptera citricida (brown citrus aphid)
450
Trachyphloeus bifoveolatus (a weevil)
235, 287
Trachyrhachys kiowa (a grasshopper)
393
Trechnites insidiosus (an encyrtid wasp)
289
Trialeurodes abutilonea (banded-wing whitefly) 908
Trialeurodes vaporariorum (greenhouse whitefly) 34, 61, 63, 64, 92, 96, 158, 226, 254, 318, 345, 450, 580, 765, 797, 884, 930, 963, 1037
Triatoma spp. (assassin bugs)
714, 770
Triatoma gerstaeckeri
634, 714, 742, 795
Triatoma lecticularius
714
Triatoma protracta (western bloodsucking conenose) 270, 687
Triatoma sanguisuga (bloodsucking conenose) 658
Tribolium castaneum (red flour beetle)
248, 288, 896, 989, 1035
Tribolium confusum (confused flour beetle)
93, 248, 288, 896, 989
Tribolium madens (a darkling beetle)
288
Trichobaris trinotata (potato stalk borer)
205
Trichocera sp. (a winter crane-fly)
344
Trichogramma sp. (a minute egg parasite)
949, 1016, 1048
Trichogramma minutum
289, 658, 1016
Trichoplusia ni (cabbage looper)
16, 60, 78, 90, 94, 132, 164, 175, 182, 183, 185, 186, 199, 205, 208, 209, 210, 211, 212, 220, 244, 279, 280, 309, 344, 384, 386, 409, 410, 463, 464, 513, 594, 624, 648, 650, 651, 673, 675, 676, 702, 706, 732, 759, 762, 763, 764, 786, 788, 789, 790, 805, 811, 813, 814, 835, 851, 852, 854, 876, 877, 893, 909, 924, 925, 926, 944, 958, 971, 1012, 1013, 1032, 1054, 1069, 1086. Light traps: 6, 18, 34, 63, 81, 120, 157, 180, 203, 225, 252, 297, 319, 353, 372, 394, 420, 451, 474, 495, 525, 526, 552, 553, 581-582, 606-607, 637-638, 661-662, 691-692, 718-719, 746-747, 761, 775-776, 798-799, 823-824, 843, 885, 901, 916, 931, 950, 964, 975, 989, 1016, 1028, 1037, 1048, 1059, 1086
Trichopoda pennipes var. pilipes (a tachina fly) 345, 450, 473, 550, 660, 797, 822
Trigonotylus dohertyi (a plant bug)
147
Trimerotropis pallidipennis (a grasshopper) 64, 318, 660
Trionymus diminutus (a mealybug)
79, 254, 348
Triops longicaudatus (a tadpole shrimp)
144
Trioxys utilis (a braconid)
715
Trioza diospyri (persimmon psylla)
818
Trirhabda geminata (a leaf beetle)
443
Trishormomyia crataegifolia (a cecidomyiid midge) 711
Trogoderma spp. (dermestid beetles)
223, 270
Trogoderma granarium (khapra beetle)
81, 225, 934
Trogoderma inclusum
223
Trogoderma parabile
223, 270, 288, 928
Trogoderma simplex
223, 288
Trogoderma sternale
223, 881
Trogoxylon aequale (a powder-post beetle)
263
Trogoxylon prostomoides
351
Trombicula spp. (chigger mites)
271
Tropical horse tick
(Anocentor nitens)
Tropical rat mite
(Ornithonyssus bacoti)
Tropidosteptes vittifrons (a plant bug)
264
Tuber flea beetle
(Epitrix tuberis)
Tule beetle
(Agonum maculicolle)
Tulip bulb aphid
(Dysaphis tulipae)
Tuliptree scale
(Toumeyella liriodendri)
Tumid spider mite
(Tetranychus tumidus)
Turnip aphid
(Hyadaphis pseudobrassicae)
Twig girdler
(Oncideres cingulata)
Twig pruner
(Elaphidionoides villosus)
Two-lined spittlebug
(Prosapia bicincta)
Two-spotted citrus psyllid
(Spanioza erythreae)
Two-spotted lady beetle
(Adalia bipunctata)

Two-spotted spider mite
(Tetranychus urticae)
Two-striped grasshopper
(Melanoplus bivittatus)
Tyloderma fragariae (strawberry crown borer) 466, 682
Typhlocyba pomaria (white apple leafhopper) 231, 570, 597, 893
Typhlodromus spp. (phytoseiid mites) 602
Typhlodromus occidentalis 291, 417, 470, 772
Tyria jacobaeae (a cinnabar moth) 290
Tyrophagus sp. (an acarid mite) 767
Tyrophagus dimidiatus 213
Tytthus mundulus (cane leafhopper egg sucker) 494, 605, 712

U

Udea profundalis (false celery leaf tier) 182, 788, 852, 944
Udea rubigalis (celery leaf tier) 40, 182
Ugly-nest caterpillar
(Archips cerasivoranus)
Unaspis citri (an armored scale) 30, 31, 41, 60, 91, 153, 176, 179, 233, 388, 516, 543, 572, 628, 636, 709, 737, 926, 959, 1013, 1055
Unaspis euonymi (euonymus scale) 154, 255, 282, 313, 368, 737, 927, 1045, 1083
Unicorn caterpillar
(Schizura unicornis)
Unspotted tentiform leaf miner
(Callisto geminatella)
Uranotaenia spp. (mosquitoes) 685, 859
Uranotaenia lowii 391, 1014
Uranotaenia sapphirina 391, 520, 895, 1014
Urbanus proteus (bean leaf roller) 166, 208
Uroplata girardi (lantana hispid) 631, 745, 842, 930, 975
Urosigalphus bruchi (a braconid) 914

V

Vaga blackburni (blackburn butterfly) 395
Vagrant grasshopper
(Schistocerca vaga)
Vanessa cardui (painted lady) 146, 166, 290
Variable oak leaf caterpillar
(Heterocampa manteo)
Variegated cutworm
(Peridroma saucia)
Vasates quadripedes (maple bladder-gall mite) 265, 287, 288
Vedalia
(Rodolia cardinalis)
Vegetable weevil
(Listroderes costirostris obliquus)
Velvetbean caterpillar
(Anticarsia gemmatalis)
Veronicella leydigi (black slug) 251
Vespa crabro germana (giant hornet) 844
Vespamima pini (pitch mass borer) 655
Vespa orientalis (oriental hornet) 777
Vespula spp. (vespid wasps) 270
Vetch bruchid
(Bruchus brachialis)
Viceroy
(Limenitis archippus)

W

Walnut caterpillar
(Datana integerrima)
Walnut husk fly
(Rhagoletis completa)
Walnut scale
(Aspidiotus juglansregiae)
Walshia miscecolorella (a walshiid moth) 278, 286
Webbing clothes moth
(Tineola bisselliella)
Weevils
258, 409
Western bean cutworm
(Loxagrotis albicosta)
Western bloodsucking conenose
(Triatoma protracta)
Western chicken flea
(Ceratophyllus niger)
Western corn rootworm
(Diabrotica virgifera)
Western drywood termite
(Incisitermes minor)
Western flower thrips
(Frankliniella occidentalis)
Western grape leaf skeletonizer
(Harrisina brillians)
Western oak looper
(Lambdina fiscellaria somniaria)
Western peach tree borer
(Sanninoidea exitiosa graefi)
Western pine beetle
(Dendroctonus brevicomis)
Western potato flea beetle
(Epitrix subcrinita)
Western spotted cucumber beetle
(Diabrotica undecimpunctata undecimpunctata)
Western subterranean termite
(Reticulitermes hesperus)
Western tent caterpillar
(Malacosoma pluviale)
Western tussock moth
(Hemerocampa vetusta)
Western wheat aphid
(Brachycolus tritici)
Western yellow-striped armyworm
(Prodenia praefica)
West Indian fruit fly
(Anastrepha mombinpraeoptans)
West Indian sweetpotato weevil
(Euscepes postfasciatus)
Wharf borer
(Nacerdes melanura)
Wheat curl mite
(Aceria tulipae)
Wheat head armyworm
(Faronta diffusa)
Wheat midge
(Sitodiplosis mosellana)
Wheat stem maggot
(Meromyza americana)
Wheat stem sawfly
(Cephus cinctus)
Wheat wireworm
(Agriotes mancus)
White apple leafhopper
(Typhlocyba pomaria)
White-fir needle miner
(Epinotia meritana)
Whiteflies
31, 133, 222, 253, 254, 282, 312, 347, 368, 446, 516, 572, 628, 681, 709, 737, 792, 810, 856, 959, 1013, 1033, 1056
White-fringed beetles
(Graphognathus spp.)
White garden snail
(Theba pisana)
White grubs
280, 480, 503
White-lined sphinx
(Celerio lineata)
White-marked tussock moth
(Hemerocampa leucostigma)
White peach scale
(Pseudaulacaspis pentagona)
White-pine aphid
(Cinara strobi)
White-pine cone beetle
(Conophthorus coniperda)
White-pine sawfly
(Neodiprion pinetum)
White-pine weevil
(Pissodes strobi)
Willow flea weevil
(Rhynchaenus rufipes)
Willow sawfly
(Nematus ventralis)
Winter grain mite
(Penthaleus major)
Winter tick
(Dermacentor albipictus)
Wireworms
185, 279, 308, 365, 411, 436, 437, 443, 457, 478, 479, 503, 531, 559
Woolly alder aphid
(Prociphilus tessellatus)
Woolly apple aphid
(Eriosoma lanigerum)
Woolly elm aphid
(Eriosoma americanum)
Woolly whitefly
(Aleurothrixus floccosus)

X

Xenochalepus dorsalis (locust leaf miner) 262, 630, 656, 683, 710, 738, 768, 879
Xiphydria maculata (a wood wasp) 684
Xyela sp. (a xyelid sawfly) 655
Xyleborus affinis (a scolytid beetle) 579, 580
Xyleborus fornicatus 180
Xylobiops basilaris (a false powder-post beetle) 312, 515
Xyloblaptus prosopidis (a false powder-post beetle) 263
Xylocopa spp. 351
Xylomyges curialis (a noctuid moth) 313
Xylosandrus compactus (a bark beetle) 6, 7, 34, 45, 63, 66, 82, 136, 158, 180, 254, 299, 368, 523, 683, 712, 1016
Xystrocera globosa (monkeypod round-headed borer) 712

Y

Yellow clover aphid
(Therioaphis trifolii)
Yellow-headed spruce sawfly
(Pikonema alaskensis)
Yellow-margined leaf beetle
(Microtheca ochroloma)
Yellow-necked caterpillar
(Datana ministra)

Yellow peach moth
(Dichocrocis punctiferalis)
Yellow scale
(Aonidiella citrina)
Yellow spider mite
(Eotetranychus carpini borealis)
Yellow-striped armyworm
(Prodenia ornithogalli)
Yellow sugarcane aphid
(Sipha flava)
Yellow woollybear
(Diacrisia virginica)
Yuma spider mite
(Eotetranychus yumensis)

Z

Zadiprion sp. (a conifer sawfly)
911
Zale lunata salicis (a noctuid moth)
1025, 1045
Zeadiatraea grandiosella (southwestern corn borer) 29, 77, 137, 138, 139, 198, 241, 276, 380, 404, 531, 559, 587, 615, 643, 668, 726, 783, 807, 849, 889, 906, 922, 941, 949, 956, 963, 969, 985, 1011, 1023, 1031, 1053, 1058, 1081
Zeadiatraea lineolata (neotropical corn borer) 15, 137, 139, 615
Zebra caterpillar
(Ceramica picta)
Zeiraphera griseana (a bud moth)
257
Zellaria haimbachi (a pine needle-sheath miner) 257
Zetsellia spp. (phytoseiid mites)
417, 470
Zeuxidiplosis giardi (a cecidomyid midge)
66, 930, 1016
Zeuzera pyrina (leopard moth)
229
Zimmerman pine moth
(Dioryctria zimmermani)
Zodion obliquefasciatum (a conopid fly)
688
Zootermopsis sp.
79
Zootermopsis angusticollis (Pacific dampwood termite) 1084
Zootermopsis laticeps
285

UNITED STATES DEPARTMENT OF AGRICULTURE
Hyattsville, Maryland 20782

OFFICIAL BUSINESS

POSTAGE AND FEES PAID
U.S. DEPARTMENT OF AGRICULTURE



367.F
626